

# AROSHA CELLULITE SLIM COMPLEX RETAIL

## Safety Data Sheet

In compliance with EC Regulation 1907/2006, EC Regulation 830/2015 and EC Regulation 1272/2008 (CLP)

Trade Name: AROSHA CELLULITE SLIM COMPLEX RETAIL

Product Code: ART202118

SDS Revision Date : 24/02/2022

Revision n°: 00

Printed Date : 24/02/2022

Superseded Revision : //

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product Identifier

Cosmetic product: skin treatment

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Skin Cosmetic Product

### 1.3 Details of the supplier of the safety data sheet

iBEAUTY srl

Via Donizetti 109/111 - 24030

Brembate di Sopra - BERGAMO - ITALY

Phone: +39 035 466046

e-mail address: info@i-beauty

### 1.4 Emergency telephone number

For urgent inquiries refer to iBEAUTY srl – (Monday/ Friday - 8:30 - 12:30 / 14:00 – 18:00) Tel +39 035 466046

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

#### 2.1.1 Classification according EC Regulation 1272/2008 (CLP):

Not a hazardous substance or mixture.

### 2.2. Label elements

EUH210 Safety data sheet available on request

### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixture

Contiene:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
5-methyl-2-(isopropyl)cyclohexyl nicotinate	$1 \leq x < 1,5$	Eye Irrit. 2 H319
CAS 40594-65-8		

# AROSHA CELLULITE SLIM COMPLEX RETAIL

CE 254-991-1

INDEX -

Reg. Nr. 01-2120770053-62

**L-Carnitine**  $1 \leq x < 1,5$  Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT  
SE 3 H335

CAS 541-15-1

CE 208-768-0

INDEX -

**Caffeine**  $1 \leq x < 1,5$  Asp. Tox. 1 H304

CAS 58-08-2

CE 200-362-1

INDEX -

Nr. Reg. 01-2119433305-48

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### Inhalation:

Get medical advice/attention immediately. Remove victim to fresh air, away from accidental scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

#### Skin:

Remove contaminated clothing. Rinse skin with a shower. Get medical advice/attention

#### Eyes:

Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-0 minutes, opening the eyelids fully. Get medical advice/attention.

#### Ingestion:

Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorized by a doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

### 4.3 Indication of any immediate medical attention and special treatment needed

Follow medical advice

## SECTION 5: Firefighting measure

### 5.1 Extinguishing media

#### Suitable extinguishing media

Extinguishing substances are: carbon dioxide, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak

#### Unsuitable extinguishing media

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flame to prevent explosions.

### 5.2 Special hazards arising from the substance or mixture

#### Hazards caused by exposure from the substance or mixture

If large quantities of the product are involved in a fire, they can make it considerably worse. Do not breathe combustion products

### 5.3 Advice for firefighters

#### General Information

# AROSHA CELLULITE SLIM COMPLEX RETAIL

In the case of fire, use jets of water to cool the containers to prevent the risk of explosions ( product decomposition and excess pressures) and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Remove all containers containing the product from the fire, if it is safe to do so.

## Special Protective Equipment for firefighters

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659), and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure air breathing apparatus (BS EN 137).

## SECTION 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures

### 6.2 Environmental precautions

The product must not penetrate into the sewer system or come in contact with surface water or ground water

### 6.3 Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13

### 6.4 Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13

## SECTION 7: Handling and storage

Use only suitable material for transport, storage and handling.

### 7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breath powder, vapour or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment. Any information on personal protection and disposal is given in sections 8.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, beverage and feed.

Incompatible materials: no data available.

Store only in the original container. Store the container sealed in a well ventilated place, away from direct sunlight

**Protect from heating and sun's rays; storage away from rain and moisture and never open air**

#### Storage further conditions

Store only in the original container. Store in a ventilated and dry place, away from source of ignition. Keep container well sealed. Keep the product in clearly labeled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials. See section 10 for details

### 7.3. Specific end use(s)

Information not available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Threshold limit value are not available

Limit values Derived Not Effect Level DNEL

N.A.

Limit values Predicted No Effect Concentration PNEC

N.A.

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station

If the product may or must come into contact or react with acids, suitable technical and/or organizational measures should be taken to prevent the development of toxic and/or inflammable gases

#### Hand protection

Protect hands with category III work gloves (see standard EN374)

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### Skin protection

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/ECC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing

#### Eye Protection

Wear airtight protective goggles (see standard EN 166)

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

#### Respiratory protection

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1,2 or 3) must be chosen according to the limit of use concentration (see standard EN 14387). In the presence of gases and vapours of various kinds

# AROSHA CELLULITE SLIM COMPLEX RETAIL

and/or gases and vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the workers' exposure to threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

## Thermal risks

N.A.

## Environmental Exposure Controls:

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Safety important data

Appearance and colour: White emulsion

Odour: Characteristic

Odour threshold: Not available

pH: (25°C): 5.50-7.00

Melting point/Freezing point: Not available

Vapour density: Not available

Decomposition temperature : Not available

Auto-ignition temperature: Not available

Flash point : > 60°C

Flammability (solid, gas): Not flammable

Lower explosive limit: Not available

Upper explosive limit: Not available

Explosive properties: Not explosive

Vapour pressure ( 20 °C ): Not available

Relative density: ( 25 °C ): Not available

Solubility in water : ( 20 °C ) Soluble

Viscosity: ( 25 °C ): 45.000-75.000 mPas

Evaporation rate: Not available

Oxidizing properties: Not available

### 9.2 Other information

Miscibility: Not available

Liposolubility: Not available

Conductivity: Not available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

There are no particular risk of reaction with other substances in normal conditions of use.

### 10.2 Chemical stability

See previous paragraph

The product is stable in normal conditions of use and storage (see paragraph 7).

### 10.3 Possibility of hazardous reaction

See paragraph 10.1.

No hazardous reaction are foreseeable in normal conditions of use and storage.

## AROSHA CELLULITE SLIM COMPLEX RETAIL

### 10.4 Condition to avoid

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5 Incompatible materials

Information not available

### 10.6 Hazardous decomposition products

Information not available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Toxicological Information concerning mixture:

#### ACUTE TOXICITY

##### 5-methyl-2-(isopropyl)cyclohexyl nicotinate

Data not available

##### L-Carnitine

LD50 oral (rat): > 5000 mg/Kg

##### Caffeine

LD50 oral (rat): 367.7 mg/Kg

LD50 dermal (rat): > 2000 mg/Kg

LD50 inhalation (rat): 4.94 mg/l/4h mg/Kg

If not differently specified, the mixture does not meet the classification criteria for this hazard class:

- A) ACUTE TOXICITY;
- B) SKIN CORROSION/IRRITATION;
- C) SERIOUS EYE DAMAGE/IRRITATION;
- D) RESPIRATORY OR SKIN SENSITIZATION;
- E) GERM CELL MUTAGENICITY;
- F) CARCINOGENICITY;
- G) REPRODUCTIVE TOXICITY;
- H) STOT — SINGLE EXPOSURE;
- I) STOT — REPETED EXPOSURE;
- J) ASPIRATION HAZARD.

### 11.2 Toxicological information about ingredients:

See Safety Assessment of the Finished Cosmetic product

## SECTION 12: Ecological information

Use responsibly, following good working practices. Avoid to disperse into the environment.

### 12.1. Toxicity

N.A.

### 12.2. Persistence and degradability

N.A. The product is biodegradable. It's not persistent

### 12.3. Bioaccumulative potential

N.A. Not bioaccumulative

### 12.4. Mobility in soil

N.A. Information not available

### 12.5. Results of PBT and vPvB assessment

vPvB Substances: Absent - PBT Substances : Absent

### 12.6. Other adverse effects

Information not available.

## SECTION 13: Disposal consideration

### 13.1. Waste treatment methods

Reuse, when possible. Product residue should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorized waste management firm, in compliance with national and regional regulations.

Waste transportation may be subjected to ADR restrictions.

#### Contaminated packaging

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations

# AROSHA CELLULITE SLIM COMPLEX RETAIL

## SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Good by Road (ADR) and by Rail (RID), Of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations

### 14.1 UN number

Not applicable

### 14.2 UN proper shipping name

Not applicable

### 14.3 Transport hazard classes

Not applicable

### 14.4 Packaging group

Not applicable

### 14.5 Environmental hazard

Not applicable

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

## SECTION 15. Regulatory Information

### 15.1 Safety, health and environmental regulations/legislations specific for the substance or mixture

#### National Provisions

Italia: D.Lgs 81/2008 (Testo unico in materia di tutela della salute e della sicurezza nei luoghi di lavoro) e successive modifiche e Direttiva

2009/161/UE - valutazione rischio chimico ai sensi del titolo IX

Classe di pericolosità per le acque

Classe : 1 Classificazione conformemente a VwVwS

D.Lgs. 3/2/1997 n. 52 (Classificazione, imballaggio ed etichettatura sostanze pericolose)

D.Lgs 14/3/2003 n. 65 (Classificazione, imballaggio ed etichettatura preparati pericolosi)

D.Lgs. 9/4/2008 n. 81

D.M. Lavoro 26/02/2004 (Limiti di esposizione professionali)

D.M. 03/04/2007 (Attuazione della direttiva n. 2006/8/CE)

#### International Regulation

Dir. 67/548/CEE s.m.i.

Dir.1999/45/CE s.m.i.

EC Regulation 1907/2006 (REACH).

EC Regulation 1272/2008 (CLP).

EC Regulation 790/2009 (ATP 1 CLP).

EC Regulation 453/2010 (Annex I)

EC Regulation 453/2010 (Annex I)

EC Regulation 830/2015 (Annex I)

Restriction relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

EC Regulation 1223/2009

#### When applicable, refers to this norms:

Circolari ministeriali 46 e 61 (Ammine aromatiche).

D.Lgs. 21 settembre 2005 n. 238 (Direttiva Seveso Ter)

EC Regulation 648/2004

D.L. 3/4/2006 n. 152 Norme in materia ambientale

### 15.2 Chemical Safety Assessment

No chemical safety assessment has been processed for the mixture or the substances it contains. Refer to EC Regulation 1223/2009

## SECTION 16. Other Information

Hazard class text (H) of section 2-3 of the MSDS:

<b>Asp. Tox. 1</b>	Aspiration hazard Cat. 1
<b>Eye Irrit. 2</b>	Serious eye irritation Cat. 2
<b>Skin Irrit. 2</b>	Skin irritation Cat. 2
<b>STOT SE 3</b>	Specific target organ toxicity — single exposure Cat. 3

## AROSHA CELLULITE SLIM COMPLEX RETAIL

<b>H304</b>	May be fatal if swallowed and enters airways
<b>H319</b>	Causes serious eye irritation
<b>H315</b>	Causes skin irritation
<b>H335</b>	May cause respiratory irritation
<b>EUH210</b>	Safety data sheet available on request

### GENERAL BIBLIOGRAPHY:

1. Direttiva 1999/45/CE s.m.i.
2. Direttiva 67/548/CEE s.m.i.
3. EC Regulation 1907/2006 (REACH)
4. EC Regulation 1272/2008 (CLP)
5. EC Regulation 790/2009 (I Atp. CLP)
6. EC Regulation 453/2010
7. The Merck Index. Ed. 10
8. Handling Chemical Safety
9. Niosh - Registry of Toxic Effects of Chemical Substances
10. INRS - Fiche Toxicologique
11. Patty - Industrial Hygiene and Toxicology
12. N.I. Sax - Dangerous properties of Industrial Materials-7 Ed., 1989

ADR: Accord européen relative au transport international des marchandises dangereuses par route

ASTM: ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)

EINECS: European Inventory of Existing Commercial Chemical Substances

EC(0/50/100): Effective Concentration 0/50/100

LC(0/50/100): Lethal Concentration 0/50/100

IC50: Inhibitor Concentration 50

NOEL: No Observed Effect Level

NOEC: No Observed Effect Concentration

LOEC: Lowest Observed Effect Concentration

DNEL: Derived No Effect Level

DMEL: Derived Minimum Effect Level

CLP: Classification, Labelling and Packaging

CSR: Chemical Safety Report

LD(0/50/100): Lethal Dose 0/50/100

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

Codice IMDG: International Maritime Dangerous Goods code

PBT: Persistent, bioaccumulative and toxic

RID: Règlement concernant le transport International ferroviaire des marchandises Dangereuses

STEL: Short term exposure limit

TLV: Threshold limit value

TWA: Time Weighted Average

vPvB: Very persistent very bioaccumulative

VwVwS.: Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water Hazard

Classes (Verwaltungsvorschrift wassergefährdende Stoffe – VwVwS)

PNEC: Predicted No Effect Concentration

PNOS: Particulates not Otherwise Specified

BOD: Biochemical Oxygen Demand

COD: Chemical Oxygen Demand

BCF: BioConcentration Factor

TRGS : Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The Federal

Institute for Occupational Safety and Health, Germany

LCLo: Lethal Concentration Low