



Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: Gelish Soak Off Gel Polish Cat Eye Magnetic Reflections

SDS Prepared: 1/22/2024

SDS Updated: N/A

Revision: 00

Product Use: Cosmetics

Distributed by: Nail Alliance - North America, Inc
1545 Moonstone Brea, CA 92821

Product #s:

1110549 (1250549), 1110550 (1250550), 1110551 (1250551), 1110552 (1250552)

Emergency Phone Number: (800) 535-5053

Information Contacts: (714) 773-9758

Section 2: Hazards Identification

OSHA/HCS status:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

- Skin Irritation - Category 2
- Eye Irritation - Category 2A
- Skin Sensitization - Category 1

GHS label elements:



Signal Word: Warning

Hazardous statements

- Causes skin irritation.
- May cause an allergic skin reaction.
- Causes serious eye irritation.
- May cause respiratory irritation.

Precautionary statements:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Use only outdoors or in a well-ventilated area. Avoid breathing vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

Response:

IF exposed or concerned: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

Storage:

Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Disposal:

Dispose of contents and container in accordance with all local, regional, national and international regulations. : None known.

Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure	Limits	Carcinogen IARC/NTP/OSHA	%
			OSHA TWA/STEL	ACGIH TWA/STEL		
Acrylates Copolymer	25035-69-2	N/A	N/E	N/E	Not Listed	40.0 - 65.0
Microcrystalline Wax	63231-60-7	264-038-1	N/E	N/E	Not Listed	5.0 - 15.0
Pentaerythrityl Tetramercaptopropionate	7575-23-7	231-472-8	N/E	N/E	Not Listed	5.0 - 15.0
PPG-3 Glyceryl Ether Triacrylate	52408-84-1	N/A	N/E	N/E	Not Listed	5.0 - 10.0
Dimethicone	63148-62-9	N/A	N/E	N/E	Not Listed	1.0 - 10.0
Benzoyl Isopropanol	7473-98-5	N/A	N/E	N/E	Not Listed	1.0 - 5.0
Iron Powder	7439-89-6	231-096-4	N/E	N/E	Not Listed	1.0 - 2.0

N/E - None Established

Section 4: First Aid Measures

- First Aid for Eye:** Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.
- First Aid for Skin:** Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and shoes. Wash clothing before reuse. Get immediate medical attention if symptoms occur.
- First Aid for Inhalation:** Remove to fresh air. If symptoms develop and persist, get medical attention.
- First Aid for Ingestion:** Do not induce vomiting. Keep individual calm. Get medical attention immediately.

Section 5: Fire Fighting Measures

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
>212°F/100°C	No Data	No Data

Extinguishing Media:

- Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media: None known.

Specific hazards arising from the chemical:

- Hazardous thermal decomposition products: In a fire or if heated, a pressure increase will occur and the container may burst.
- Hazardous thermal decomposition products: Decomposition products may include the following materials: carbon dioxide
carbon monoxide
phosphorus oxides
metal oxide/oxides

Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6: Accidental Release Measures

For non-emergency personnel:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions:

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods & materials for containment and clean up

Small spill

Stop leak if without risk. Move containers from spill area. Absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7: Handling and Storage

Handling:

Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. DO NOT heat or spray. Use only with adequate ventilation. Refer to Section 8. Use only in area provided with appropriate exhaust ventilation.

Storage:

For safe storage, store at or below 30°C (86°F). Product is extremely light sensitive. If exposed to natural light, LED, UVA, UVB or UV any light, material will cure very quickly. Store in a cool, dry place, away from heat and all types of light. Store away from incompatible materials. Keep this materials away from heat, sparks, and open flame. Keep containers tightly closed when not in use.

Incompatible products:

Refer to Section 10.

Section 8: Exposure Controls / Personal Protection

Engineering Controls:

Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.

Respiratory Protection:

Use COSHA approved respirator if there is potential to exceed exposure limit(s). If this material is handled at elevated temperatures or under mist forming conditions, without engineering controls, a COSHA approved respirator must be used.

Skin Protection:

Use impermeable gloves and protective clothing as necessary to prevent skin contact. Neoprene gloves.

Eye/Face Protection: Safety goggles or safety glasses with side shields. In a splash hazard environment, chemical goggles should be used in combination with a full face shield.

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	Specific Gravity	Viscosity	%Volatile
Viscous liquid	Characteristic light odor	(H2O=1): 1.15	N/DA	N/DA

Boiling Point/Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/A	N/A	No Data	No Data	No Data	Insoluble

Section 10: Stability and Reactivity

Stability Stable under normal conditions of storage and use

Acute Oral Toxicity: No info available

Acute Dermal Toxicity: No info available

Acute Inhalation Toxicity No info available

Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

Sensitization: N/DA

Mutagenicity: N/DA

Sub-chronic Toxicity: N/DA

Conditions to Avoid: Storage>100°F/38°C, exposure to light, loss of dissolved air, loss of polymerization, contamination with incompatible materials.

Hazardous Polymerization: May occur --- Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could result in violent rupture of sealed storage vessels or containers.

Incompatibility Peroxides, oxidizing agents.

Hazardous Decomposition Products: Oxides of carbon. Oxides of nitrogen. Irritating organic vapors.

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Irritation - skin	Irritation - Eye
No info available	No info available	No info available	No info available

Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

Sensitization	Mutagenicity	Sub-chronic Toxicity
N/DA	N/DA	N/DA

Section 12: Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Bioconcentration	Toxicity to Sewage Bacteria
No Information Available	No Information Available	No Information Available	No Information Available

Environmental Stability:	
Chemical Fate Information	No Information Available
Biodegradability	No Information Available
Chemical Oxygen Demand	No Information Available

Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13: Disposal Considerations

Waste disposal must be in accordance with appropriate Federal, State and local regulations. US. Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate. Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member State, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14: Transport Information**DOT (49 CFR 172)**

Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
Emergency Response Guidebook (ERG) #:	N/A

IATA (DGR):

Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	
Emergency Response Guidance (ICAO)#:	

IMO (IMDG):

Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	None

Emergency Schedule (EmS)#:

Other Information:	Flash point >100 °C
---------------------------	-------------------------------

Section 15: Regulatory Information

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

Clean Air Act Section 602 Class I Substances	Not Listed
---	------------

Clean Air Act Section 602 Class II Substances	Not Listed
--	------------

DEA List I Chemicals (Precursor Chemicals)	Not Listed
---	------------

State Regulations

CA Right-to-Know Law:	
California No Significant Risk Rule:	None
MA Right-to-Know Law:	None
NJ Right-to-Know Law:	None
PA Right-to-Know Law:	None
FL Right-to-Know Law:	None
MN Right-to-Know Law:	None

Section 16: Other Information**Hazardous Material Information System (U.S.A.)**

Health:	2
Flammability:	1
Physical hazards:	1

National Fire Protection Association (U.S.A.)

Health:	2
Flammability:	1
Instability:	1

This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable.