Troy Healthcare, LLC

Page 1 of 8

		Section 1: Identif	ication
roduct Nam	e: STOPA	IN® CLINICAL Gel	Manufacturer: Troy Manufacturing, Inc.
Reorder Number(s):		N975-01, N975-32, N975-04 N975-16, N975-05	130 Lions Drive Hazleton, PA 18201 USA www.stopain.com
	7-24909	-97501-5, 7-24909-97532-9	www.stopan.com
UPC Code(s): 7-24909-97504-6, 7-24909-97516-9 7-24909-97505-3			Telephone: (570) 453-5252
roduct Use:	Topical A	nalgesic, FDA Counter-irritant OTC	Emergency (Chemtrec): (800) 424-9300
		Section 2: Hazard Ide	entification
Class	ification:	Flammable Liquid – Category 2 Skin Irritation – Category 2 Eye Irritation – Category 2B May Cause Drowsiness or Dizzi	
Label	element	: Danger	
		 Highly flammable liquid and va Causes skin irritation. May cause drowsiness or dizz Harmful if swallowed. Causes serious eye irritation. 	
Precautionary Statements:			
_		 Keep away from heat, sparks, Keep container tightly closed. Keep cool. 	open flames and/or hot surfaces.
State		 Keep container tightly closed. 	spray. g.
State Preve Resp	ments:	 Keep container tightly closed. Keep cool. Avoid breathing vapors and or Wash thoroughly after handling Wash thoroughly after handling In case of fire: Use appropriate 	spray. g. g. e media. esh air and keep at rest in a position /physician if you feel unwell.
State Preve Resp CANA	ments:	 Keep container tightly closed. Keep cool. Avoid breathing vapors and or Wash thoroughly after handling Wash thoroughly after handling In case of fire: Use appropriate If inhaled: Remove victim to free comfortable for breathing. Call a Poison Center of doctor. If skin irritation occurs get med 	spray. g. g. e media. esh air and keep at rest in a position /physician if you feel unwell.

Troy Healthcare, LLC

Page 2 of 8

Label: WHIMS



- Flammable Liquid
- Other toxic effects

Section 3: Composition/Information on Ingredients

<u>Mixture</u>

Composition Containing Hazardous Components*					
Chemical Name	Identifiers	% weight	Recommended Exposure Limits	Classification According to Regulation	Comments
SD-alcohol 39C ¹	CAS: 64-17-5	52.00	400ppm TWA	OSHA HCS 2012	
L-menthol	CAS:89-78-1	10.0	NA	NA	

*Proprietary ingredients omitted. As packaged Stopain® products are classified as Consumer Commodity ORM-D

1 – Comprehensive Environmental Response, Compensation and liability Act of 1980 requires notification of the national Response Center of release of quantities of hazardous Substances equal or greater than the reportable quantities (RQ) in 40 CFR 302.4. Components present in this product at a level which could require reporting under this statute are:

Chemical Name	CAS Number	RQ
Diethyl phthalate	84-66-2	1000

Section 4: First-Aid Measures

Inhalation: Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing.

Skin: In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Wash skin with soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs, get medical advice/attention.

- **Eye: IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
- **Ingestion: DO NOT** induce vomiting. If person is drowsy or unconscious and vomiting, place on the left side with head down. Seek medical attention.

Most important symptoms and effects, both acute and delayed

Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Troy Healthcare, LLC

Page 3 of 8

Section 5: Fire-Fighting Measures

EXTINGUISHING MEDIA

Suitable Extinguishing Media: Carbon dioxide, dry chemical and water spray

Unsuitable Extinguishing Media: Avoid the use of streaming water

SPECIAL HAZARDS ARISING FROM MIXTURE

Unusual fire and explosion hazard: • Flammable: Will ignite by sparks, heat or flames.

- Vapors may form explosive mixture with air.
- Vapors may travel to source of ignition.

Advice to Firefighters: Firefighters should wear self-contained breathing apparatus. Wear protective clothing that is specifically recommended by manufacturer for firefighters. Use water spray to cool containers exposed to fire.

Section 6: Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions: • Wear appropriate protective equipment including respiratory protection as conditions warrant.

- Do not touch or walk through spilled material
- Do not touch damaged containers or spilled material

Emergency Procedures: • As immediate precautionary measures, isolate spill or leak area (150 feet radius)

- · Eliminate all ignition sources in spill or leak area
- · Keep unauthorized personnel away
- Stay upwind and ventilate closed spaces before entering
- Avoid run off to waterways and sewers

Methods and Material for Containment and Cleaning up

Containment/Clean-up Measures: • Stop leak if it can be done without risk.

- All equipment used when handling the product must be grounded.
- Absorb or cover with dry earth, sand or other non-combustible material and transfer to suitable containers.
- Use clean non-sparking tools to collect absorbed material
- For large spills consider a dike far ahead of liquid spill

Troy Healthcare, LLC

Page 4 of 8

Section 7: Handling and Storage

Precautions for Safe Handling

Handling:

- Keep away from heat and ignition sources
 - Empty containers contain residue and maybe dangerous
 - Use with adequate ventilation

Conditions for Safe Storage

Storage:

- Store in cool/low temperature, well ventilated area
- Keep container closed when not in use
- Keep away from heat, ignition sources, oxidizers and acids

Section 8: Exposure Controls/Personal Protection

Exposure Limits/Guidelines					
	Result	ACGIH	Canada	Canada Quebec	NIOSH
SD Alcohol 39C	STELs	1000 ppm	1000 ppm	1000 ppm	1000 ppm
	TWAs	1000 ppm	1000 ppm	1000 ppm	1000 ppm
L-menthol	STELs	NA	NA	NA	NA
L-mention	TWAs	NA	NA	NA	NA

Troy Healthcare, LLC

Engineering Measures/Controls:	 Adequate ventilation as needed to control exposure. 		
Personal Protective Equip	ment:		
Pictograms:	≤ 💥 🛱		
Respiratory:	 In case of insufficient ventilation wear suitable respiratory equipment. Follow OSHA 29CFR 1919.134 		
Eye/Face:	• Wear safety goggles.		
Hands:	 Wear protective gloves (neoprene, butyl or nitrile rubber). 		
Skin/Body:	 Where extensive dermal exposure is expected wear a chemical suit or chemical apron. 		
General Industrial Hygiene Considerations:	 Handle in accordance with good industrial hygiene practice. s: Wash thoroughly with soap and water after handling and Before eating or drinking. Safety shower and eye wash should Be available close to work areas. 		
Environmental Exposure Controls:	 Follow best practice for site management and disposal of waste. Avoid release to the environment. 		

Section 9: Physical and Chemical Properties

Property	SD Alcohol 39C	L-menthol
Appearance	Clear colorless liquid	White crystal/powder
Odor	Characteristic alcohol	Mint-like
рН	NA	NA
Melting point	<-100 °C	42-44 ^o C
Boiling point	78.3 ^o C	212 °C
Flash point	26.5 °C For Final Composition	(Pensky-Martens Closed Cup Tester)
Evaporation rate3	3.34 (butyl acetate=1)	NA
Flammability	Flammable liquid	Flammable (powder)
Upper/lower flammability	3.3% - 19%	NA
Vapor pressure (mm Hg)	43.7	.14
Vapor density	1.59 (versus air)	NA
Relative density	.79	.89
Solubility in water	miscible	trace
Solubility in alcohols	miscible	soluble
Partition coefficient	.32	3.4
octanol/water (log P) Auto-ignition temp	363 ºC	478 °C
Viscosity	0.0012 Pa s at 20 °C	Solid at 20 °C

Troy Healthcare, LLC

Page 6 of 8

Section 10: Reactivity

Reactivity: No dangerous reaction known with normal use.

Chemical Stability: Stable under normal temperatures and pressures.

Possibility of Hazardous Reactions: Hazardous reactions may occur with oxidizing agents.

Conditions to Avoid: High temperatures, sparks, open flames and electrical circuits.

Hazardous Decomposition Products: In case of fire carbon dioxide, hydrocarbons, fumes, soot and smoke may be produced.

Section 11: Toxicological Information

Component Name	CAS	Data		
SD Alcohol (39C) (52.00% in formulation)	64-17-5	Acute Toxicity: LD50(H) Oral Rat 15010 mg/kg, LDLo Oral Rat 7000 mg/kg, Irritation: Eye-rbt 100mg MOD-SEV, skin-human 500mg (MLD). Reproductive: Teratogenic rats, mice. Carcinogenic: Classified 1 (Proven for humans.) by IARC.		
GHA Prope	rties		Classification (OSHA HCS 2012)	
Acute Toxicity			Classification criteria not met.	
Aspiration Hazard			No data available.	
Carcinogenicity			Oral consumption of ethanol – IARC classification as carcinogenic to humans based on sufficient evidence in humans.	
Germ cell mutagenicity			No data available.	
Respiratory sensitization			No data available.	
Serious eye damage/irritat	ion		Classification criteria not met.	
Skin corrosion/irritation			Skin irritation 2.	
Skin sensitization			Classification not met.	
STOT-RE			No data available.	
STOR-SE			No data available.	
Toxicity for reproduction			Classification criteria not met.	

Signs and symptoms of exposure

Central nervous system depression, gastrointestinal disturbance including nausea, as well as headache may occur

Troy Healthcare, LLC

Page 7 of 8

Section 12: Ecological Information

Toxicity: No data available.

Persistence and degradability: No data available.

Bioaccumulation: No data available

Mobility in soil: No data available

PBT and vPvB: No data available

Section 13: Disposal Considerations

Product: Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging: Dispose of as unused product.

Section 14: Transport Information

- **DOT (US):** UN number: 1170, Class 3, Packaging group III. Proper shipping name: Ethanol solutions. Marine pollutant: No. Poison inhalation hazard: No.
- IMDG: UN number: 1170, Class 3, Packaging group III. Proper shipping name: Ethanol solution. Marine pollutant: No.
- IATA: UN number: 1170, Class 3, Packaging group III. Proper shipping name: Ethanol solution Marine pollutant: No

OSHA Hazards: Flammable liquid, target organ effect, toxicity by inhalation, ingestion, skin absorption, irritant, carcinogen.

SARA 302 Components: None included.

SARA 312 Components: None included

SARA 311/312 Hazards: Fire hazard, acute health hazard, chronic health hazard

Massachusetts Right to Know Components

Ethanol Menthol Diethyl phthalate

Troy Healthcare, LLC

Page 8 of 8

Pennsylvania Right to Know Components

Ethanol Menthol Diethyl phthalate

New Jersey Right to Know Components

Ethanol Menthol Diethyl phthalate

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 15: Regulatory Information (not listed elsewhere)

US TSCA Inventory Status: All components of this product are either on the Toxic Substance Control Act inventory list or exempt.

Canadian DSL Inventory Status: All components of this product are either on the Canadian DSL Inventory Status List or exempt.

Section 16: Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Troy Healthcare, LLC shall not be held liable for any damages resulting from handling or from contact with the above product.

Troy Healthcare, LLC

Page 1 of 8

	Troy Healtho	care, LLC	Page 1 of 8			
	Section 1: Ident	ification				
Product Name: STOPAIN®	CLINICAL Roll-On	Manufacturer:	Troy Manufacturing, Inc.			
Product NDC Number: 6393	36-9520-1	130 Lions Drive Hazleton, PA 18201 USA	Hazleton, PA 18201 USA			
Reorder Number: N952-03			www.stopain.com			
UPC Code: 7-24909-95203-	0	Telephone: (57	70) 453-5252			
Product Use: Topical Analg	esic, FDA Counter-irritant OTC	Emergency (C	hemtrec): (800) 424-9300			
	Section 2: Hazard lo	dentification				
Classification:	Flammable Liquid – Category 2 Skin Irritation – Category 2 Eye Irritation – Category 2B May Cause Drowsiness or Diz					
Label elements:	Danger	•				
Hazard Statement:	 Highly flammable liquid and w Causes skin irritation. May cause drowsiness or diz Harmful if swallowed. Causes serious eye irritation. 	ziness.				
Precautionary Statements:	 Keep away from heat, sparks Keep container tightly closed Keep cool. 		d/or hot surfaces.			
Prevention:	 Avoid breathing vapors and or spray. Wash thoroughly after handling. Wash thoroughly after handling. 					
Response:	 In case of fire: Use appropria If inhaled: Remove victim to f comfortable for breathing. Call a Poison Center of doctor If skin irritation occurs get me 	resh air and keep pr/physician if you	feel unwell.			
CANADA According to WHMIS						
Classification: WHIMS	Flammable LiquidOther toxic effects					

Troy Healthcare, LLC

Page 2 of 8

Label: WHIMS



• Flammable Liquid

Other toxic effects

Section 3: Composition/Information on Ingredients

<u>Mixture</u>

Composition Containing Hazardous Components*					
Chemical Name	Identifiers	% weight	Recommended Exposure Limits	Classification According to Regulation	Comments
SD-alcohol 39C ¹	CAS: 64-17-5	52.5	400ppm TWA	OSHA HCS 2012	
L-menthol	CAS:89-78-1	10.0	NA	NA	

*Proprietary ingredients omitted. As packaged Stopain® products are classified as Consumer Commodity ORM-D

1 -Comprehensive Environmental Response, Compensation and liability Act of 1980 requires notification of the national Response Center of release of quantities of hazardous Substances equal or greater then the reportable quantities (RQ) in 40 CFR 302.4. Components present in this product at a level which could require reporting under this statute are:

Chemical Name	CAS Number	RQ
Diethyl phthalate	84-66-2	1000

Section 4: First-Aid Measures

Inhalation: Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing.

Skin: In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Wash skin with soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs, get medical advice/attention.

Eye: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Ingestion: DO NOT induce vomiting. If person is drowsy or unconscious and vomiting, place on the left side with head down. Seek medical attention.

Most important symptoms and effects, both acute and delayed Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed Notes to Physician: All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Troy Healthcare, LLC

Page 3 of 8

Section 5: Fire-Fighting Measures

EXTINGUISHING MEDIA

Suitable Extinguishing Media: Carbon dioxide, dry chemical and water spray

Unsuitable Extinguishing Media: Avoid the use of streaming water

SPECIAL HAZARDS ARISING FROM MIXTURE

Unusual fire and explosion hazard: • Flammable: Will ignite by sparks, heat or flames.

- Vapors may form explosive mixture with air.
- Vapors may travel to source of ignition.

Advice to Firefighters: Firefighters should wear self-contained breathing apparatus. Wear protective clothing that is specifically recommended by manufacturer for firefighters. Use water spray to cool containers exposed to fire.

Section 6: Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions: • Wear appropriate protective equipment including respiratory protection as conditions warrant.

- Do not touch or walk through spilled material
- Do not touch damaged containers or spilled material
- **Emergency Procedures:** As immediate precautionary measures, isolate spill or leak area (150 feet radius)
 - · Eliminate all ignition sources in spill or leak area
 - Keep unauthorized personnel away
 - · Stay upwind and ventilate closed spaces before entering
 - Avoid run off to waterways and sewers

Methods and Material for Containment and Cleaning up

Containment/Clean-up Measures: • Stop leak if it can be done without risk.

- All equipment used when handling the product must be grounded.
- Absorb or cover with dry earth, sand or other non-combustible material and transfer to suitable containers.
- Use clean non-sparking tools to collect absorbed material
- For large spills consider a dike far ahead of liquid spill

Troy Healthcare, LLC

Page 4 of 8

Section 7: Handling and Storage

Precautions for Safe Handling

Handling:

- Keep away from heat and ignition sources
 - Empty containers contain residue and maybe dangerous
 - Use with adequate ventilation

Conditions for Safe Storage

Storage:

- Store in cool/low temperature, well ventilated area
- Keep container closed when not in use
- Keep away from heat, ignition sources, oxidizers and acids

Section 8: Exposure Controls/Personal Protection

Exposure Limits/Guidelines					
	Result	ACGIH	Canada	Canada Quebec	NIOSH
SD Alcohol 39C	STELs	1000 ppm	1000 ppm	1000 ppm	1000 ppm
	TWAs	1000 ppm	1000 ppm	1000 ppm	1000 ppm
L-menthol	STELs	NA	NA	NA	NA
L-mention	TWAs	NA	NA	NA	NA

Troy Healthcare, LLC

Engineering Measures/Controls:	 Adequate ventilation as needed to control exposure. 	
Personal Protective Equip	ment:	
Pictograms:	≤ 💥 🛱	
Respiratory:	 In case of insufficient ventilation wear suitable respiratory equipment. Follow OSHA 29CFR 1919.134 	
Eye/Face:	• Wear safety goggles.	
Hands:	 Wear protective gloves (neoprene, butyl or nitrile rubber). 	
Skin/Body:	 Where extensive dermal exposure is expected wear a chemical suit or chemical apron. 	
General Industrial Hygiene Considerations:	 Handle in accordance with good industrial hygiene practice. Wash thoroughly with soap and water after handling and Before eating or drinking. Safety shower and eye wash should Be available close to work areas. 	
Environmental Exposure Controls:	 Follow best practice for site management and disposal of waste Avoid release to the environment. 	

Section 9: Physical and Chemical Properties

Property	SD Alcohol 39C	L-menthol
Appearance	Clear colorless liquid	White crystal/powder
Odor	Characteristic alcohol	Mint-like
рН	NA	NA
Melting point	<-100 °C	42-44 ^o C
Boiling point	78.3 ^o C	212 °C
Flash point	24.5 °C For Final Composition	(Pensky-Martens Closed Cup Tester)
Evaporation rate3	3.34 (butyl acetate=1)	NA
Flammability	Flammable liquid	Flammable (powder)
Upper/lower flammability	3.3% - 19%	NA
Vapor pressure (mm Hg)	43.7	.14
Vapor density	1.59 (versus air) NA	
Relative density	.79	.89
Solubility in water	miscible	trace
Solubility in alcohols	miscible	soluble
Partition coefficient octanol/water (log P)	.32	3.4
Auto-ignition temp	363 °C 478 °C	
Viscosity	0.0012 Pa s at 20 °C Solid at 20 °C	

Troy Healthcare, LLC

Page 6 of 8

Section 10: Reactivity

Reactivity: No dangerous reaction known with normal use.

Chemical Stability: Stable under normal temperatures and pressures.

Possibility of Hazardous Reactions: Hazardous reactions may occur with oxidizing agents.

Conditions to Avoid: High temperatures, sparks, open flames and electrical circuits.

Hazardous Decomposition Products: In case of fire carbon dioxide, hydrocarbons, fumes, soot and smoke may be produced.

Section 11: Toxicological Information

Component Name	CAS	Data		
SD Alcohol (39C) (54% in formulation)	64-17-5	Acute Toxicity: LD50(H) Oral Rat 15010 mg/kg, LDLo Oral Rat 7000 mg/kg, Irritation: Eye-rbt 100mg MOD-SEV, skin-human 500mg (MLD). Reproductive: Teratogenic rats, mice. Carcinogenic: Classified 1 (Proven for humans.) by IARC.		
GHA Prope	rties		Classification (OSHA HCS 2012)	
Acute Toxicity			Classification criteria not met.	
Aspiration Hazard			No data available.	
Carcinogenicity			Oral consumption of ethanol – IARC classification as carcinogenic to humans based on sufficient evidence in humans.	
Germ cell mutagenicity			No data available.	
Respiratory sensitization			No data available.	
Serious eye damage/irritat	ion		Classification criteria not met.	
Skin corrosion/irritation			Skin irritation 2.	
Skin sensitization			Classification not met.	
STOT-RE			No data available.	
STOR-SE			No data available.	
Toxicity for reproduction			Classification criteria not met.	

Signs and symptoms of exposure

Central nervous system depression, gastrointestinal disturbance including nausea, as well as headache may occur

Troy Healthcare, LLC

Page 7 of 8

Section 12: Ecological Information

Toxicity: No data available.

Persistence and degradability: No data available.

Bioaccumulation: No data available

Mobility in soil: No data available

PBT and vPvB: No data available

Section 13: Disposal Considerations

Product: Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging: Dispose of as unused product.

Section 14: Transport Information

- **DOT (US):** UN number: 1170, Class 3, Packaging group III. Proper shipping name: Ethanol solutions. Marine pollutant: No. Poison inhalation hazard: No.
- IMDG: UN number: 1170, Class 3, Packaging group III. Proper shipping name: Ethanol solution. Marine pollutant: No.
- IATA: UN number: 1170, Class 3, Packaging group III. Proper shipping name: Ethanol solution Marine pollutant: No

OSHA Hazards: Flammable liquid, target organ effect, toxicity by inhalation, ingestion, skin absorption, irritant, carcinogen

SARA 302 Components: None included.

SARA 312 Components: None included

SARA 311/312 Hazards: Fire hazard, acute health hazard, chronic health hazard

Massachusetts Right to Know Components

Ethanol Menthol Diethyl phthalate

Troy Healthcare, LLC

Page 8 of 8

Pennsylvania Right to Know Components

Ethanol Menthol Diethyl phthalate

New Jersey Right to Know Components

Ethanol Menthol Diethyl phthalate

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 15: Regulatory Information (not listed elsewhere)

US TSCA Inventory Status: All components of this product are either on the Toxic Substance Control Act inventory list or exempt.

Canadian DSL Inventory Status: All components of this product are either on the Canadian DSL Inventory Status List or exempt.

Section 16: Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Troy Healthcare, LLC shall not be held liable for any damages resulting from handling or from contact with the above product.

	Troy Health	care, LLC	Page 1 of 8	
Section 1: Identification				
oduct Name: STOPAIN®	CLINICAL Spray		oy Manufacturing, Inc.	
oduct NDC Number: 6393	86-9500-1		30 Lions Drive azleton, PA 18201 USA	
order Number(s): N950-0	4	w	ww.stopain.com	
C Code: 7-24909-95004-3	3	Telephone: (570)	453-5252	
oduct Use: Topical Analge	esic, FDA Counter-irritant OTC	Emergency (Che	mtrec): (800) 424-9300	
	Section 2: Hazard lo	dentification		
Classification:	Flammable Liquid – Category Skin Irritation – Category 2 Eye Irritation – Category 2B May Cause Drowsiness or Diz			
Label elements:	Danger			
Hazard Statement:	 Highly flammable liquid and v Causes skin irritation. May cause drowsiness or diz Harmful if swallowed. Causes serious eye irritation 	ziness.		
Precautionary Statements:	 Keep away from heat, sparks Keep container tightly closed Keep cool. 		or hot surfaces.	
Prevention:	 Avoid breathing vapors and o Wash thoroughly after handli Wash thoroughly after handli 	ng.		
Response:	 In case of fire: Use appropria If inhaled: Remove victim to the comfortable for breathing. Call a Poison Center of doctors of the skin irritation occurs get metables. 	fresh air and keep a or/physician if you fe	eel unwell.	
CANADA According to WHMIS	-			

Classification:	 Flammable Liquid
WHIMS	 Other toxic effects

Troy Healthcare, LLC

Page 2 of 8

Label: WHIMS



• Flammable Liquid

Other toxic effects

Section 3: Composition/Information on Ingredients

<u>Mixture</u>

Composition Containing Hazardous Components*					
Chemical Name	Chemical Name Identifiers % Recommended Exposu weight Limits		Recommended Exposure Limits	Classification According to Regulation	Comments
SD-alcohol 39C ¹	CAS: 64-17-5	52.5	400ppm TWA	OSHA HCS 2012	
L-menthol	CAS:89-78-1	10.0	NA	NA	

*Proprietary ingredients omitted. As packaged Stopain® products are classified as Consumer Commodity ORM-D

1 – Comprehensive Environmental Response, Compensation and liability Act of 1980 requires notification of the national Response Center of release of quantities of hazardous Substances equal or greater than the reportable quantities (RQ) in 40 CFR 302.4. Components present in this product at a level which could require reporting under this statute are:

Chemical Name	CAS Number	RQ	
Diethyl phthalate	84-66-2	1000	

Section 4: First-Aid Measures

Inhalation: Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing.

Skin: In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Wash skin with soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs, get medical advice/attention.

Eye: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Ingestion: DO NOT induce vomiting. If person is drowsy or unconscious and vomiting, place on the left side with head down. Seek medical attention.

Most important symptoms and effects, both acute and delayed Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed Notes to Physician: All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Troy Healthcare, LLC

Page 3 of 8

Section 5: Fire-Fighting Measures

EXTINGUISHING MEDIA

Suitable Extinguishing Media: Carbon dioxide, dry chemical and water spray

Unsuitable Extinguishing Media: Avoid the use of streaming water

SPECIAL HAZARDS ARISING FROM MIXTURE

Unusual fire and explosion hazard: • Flammable: Will ignite by sparks, heat or flames.

- Vapors may form explosive mixture with air.
- Vapors may travel to source of ignition.

Advice to Firefighters: Firefighters should wear self-contained breathing apparatus. Wear protective clothing that is specifically recommended by manufacturer for firefighters. Use water spray to cool containers exposed to fire.

Section 6: Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions: • Wear appropriate protective equipment including respiratory protection as conditions warrant.

- Do not touch or walk through spilled material
- Do not touch damaged containers or spilled material

Emergency Procedures: • As immediate precautionary measures, isolate spill or leak area (150 feet radius)

- Eliminate all ignition sources in spill or leak area
- Keep unauthorized personnel away
- Stay upwind and ventilate closed spaces before entering
- Avoid run off to waterways and sewers

Methods and Material for Containment and Cleaning up

Containment/Clean-up Measures: • Stop leak if it can be done without risk.

- All equipment used when handling the product must be grounded.
- Absorb or cover with dry earth, sand or other non-combustible material and transfer to suitable containers.
- Use clean non-sparking tools to collect absorbed material
- For large spills consider a dike far ahead of liquid spill

Troy Healthcare, LLC

Page 4 of 8

Section 7: Handling and Storage

Precautions for Safe Handling

Handling:

- Keep away from heat and ignition sources
 - Empty containers contain residue and maybe dangerous
 - Use with adequate ventilation

Conditions for Safe Storage

Storage:

- Store in cool/low temperature, well ventilated area
- Keep container closed when not in use
- Keep away from heat, ignition sources, oxidizers and acids

Section 8: Exposure Controls/Personal Protection

Exposure Limits/Guidelines					
	Result	ACGIH	Canada	Canada Quebec	NIOSH
SD Alcohol 39C	STELs	1000 ppm	1000 ppm	1000 ppm	1000 ppm
	TWAs	1000 ppm	1000 ppm	1000 ppm	1000 ppm
L-menthol STELs		NA	NA	NA	NA
L-mention	TWAs	NA	NA	NA	NA

Troy Healthcare, LLC

Engineering Measures/Controls:	 Adequate ventilation as needed to control exposure. 			
Personal Protective Equip	ment:			
Pictograms:				
Respiratory:	 In case of insufficient ventilation wear suitable respiratory equipment. Follow OSHA 29CFR 1919.134 			
Eye/Face:	• Wear safety goggles.			
Hands:	 Wear protective gloves (neoprene, butyl or nitrile rubber). 			
Skin/Body:	 Where extensive dermal exposure is expected wear a chemical suit or chemical apron. 			
General Industrial Hygiene Considerations:	 Handle in accordance with good industrial hygiene practice. Wash thoroughly with soap and water after handling and Before eating or drinking. Safety shower and eye wash should Be available close to work areas. 			
Environmental Exposure Controls:	• Follow best practice for site management and disposal of waste. Avoid release to the environment.			

Section 9: Physical and Chemical Properties

Property	SD Alcohol 39C	L-menthol
Appearance	Clear colorless liquid	White crystal/powder
Odor	Characteristic alcohol	Mint-like
рН	NA	NA
Melting point	<-100 °C	42-44 ^o C
Boiling point	78.3 ^o C	212 °C
Flash point	26.5 °C For Final Composition	(Pensky-Martens Closed Cup Tester)
Evaporation rate3	3.34 (butyl acetate=1)	NA
Flammability	Flammable liquid	Flammable (powder)
Upper/lower flammability	3.3% - 19%	NA
Vapor pressure (mm Hg)	43.7	.14
Vapor density	1.59 (versus air) NA	
Relative density	.79	.89
Solubility in water	miscible	trace
Solubility in alcohols	miscible	soluble
Partition coefficient octanol/water (log P)	.32	3.4
Auto-ignition temp	363 °C 478 °C	
Viscosity	0.0012 Pa s at 20 °C Solid at 20 °C	

Troy Healthcare, LLC

Page 6 of 8

Section 10: Reactivity

Reactivity: No dangerous reaction known with normal use.

Chemical Stability: Stable under normal temperatures and pressures.

Possibility of Hazardous Reactions: Hazardous reactions may occur with oxidizing agents.

Conditions to Avoid: High temperatures, sparks, open flames and electrical circuits.

Hazardous Decomposition Products: In case of fire carbon dioxide, hydrocarbons, fumes, soot and smoke may be produced.

Section 11: Toxicological Information

Component Name	CAS	Data		
SD Alcohol (39C) (54.0% in formulation)	64-17-5	Acute Toxicity: LD50(H) Oral Rat 15010 mg/kg, LDLo Oral Rat 7000 mg/kg, Irritation: Eye-rbt 100mg MOD-SEV, skin-human 500mg (MLD). Reproductive: Teratogenic rats, mice. Carcinogenic: Classified 1 (Proven for humans.) by IARC.		
GHA Prope	rties		Classification (OSHA HCS 2012)	
Acute Toxicity			Classification criteria not met.	
Aspiration Hazard			No data available.	
Carcinogenicity			Oral consumption of ethanol – IARC classification as carcinogenic to humans based on sufficient evidence in humans.	
Germ cell mutagenicity			No data available.	
Respiratory sensitization			No data available.	
Serious eye damage/irritat	ion		Classification criteria not met.	
Skin corrosion/irritation			Skin irritation 2.	
Skin sensitization			Classification not met.	
STOT-RE			No data available.	
STOR-SE			No data available.	
Toxicity for reproduction			Classification criteria not met.	

Signs and symptoms of exposure

Central nervous system depression, gastrointestinal disturbance including nausea, as well as headache may occur

Troy Healthcare, LLC

Page 7 of 8

Section 12: Ecological Information

Toxicity: No data available.

Persistence and degradability: No data available.

Bioaccumulation: No data available

Mobility in soil: No data available

PBT and vPvB: No data available

Section 13: Disposal Considerations

Product: Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging: Dispose of as unused product.

Section 14: Transport Information

- **DOT (US):** UN number: 1170, Class 3, Packaging group III. Proper shipping name: Ethanol solutions. Marine pollutant: No. Poison inhalation hazard: No.
- IMDG: UN number: 1170, Class 3, Packaging group III. Proper shipping name: Ethanol solution. Marine pollutant: No.
- IATA: UN number: 1170, Class 3, Packaging group III. Proper shipping name: Ethanol solution Marine pollutant: No

OSHA Hazards: Flammable liquid, target organ effect, toxicity by inhalation, ingestion, skin absorption, irritant, carcinogen

SARA 302 Components: None included.

SARA 312 Components: None included

SARA 311/312 Hazards: Fire hazard, acute health hazard, chronic health hazard

Massachusetts Right to Know Components

Ethanol Menthol Diethyl phthalate

Troy Healthcare, LLC

Page 8 of 8

Pennsylvania Right to Know Components

Ethanol Menthol Diethyl phthalate

New Jersey Right to Know Components

Ethanol Menthol Diethyl phthalate

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 15: Regulatory Information (not listed elsewhere)

US TSCA Inventory Status: All components of this product are either on the Toxic Substance Control Act inventory list or exempt.

Canadian DSL Inventory Status: All components of this product are either on the Canadian DSL Inventory Status List or exempt.

Section 16: Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Troy Healthcare, LLC shall not be held liable for any damages resulting from handling or from contact with the above product.