



AMERICAN INTERNATIONAL INDUSTRIES

Safety Data Sheet Seche Vite Dry Top Coat

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name Seche Vite Dry Top Coat

Product number 83005, 83148, 83132, 83086, 83099, 83105, 83040, 83050, 83100, 83102, 84644, 87-8325, 87-8302, 87-8410 Found in Kit# 83074, 29903

Other means of identification

Use:
Personal Care Product

Details of the supplier of the safety data sheet

Name American International Industries
Address 2220 Gaspar Ave
Los Angeles, CA 90040
USA

Telephone 323-728-2999

Emergency telephone number

Chem-Tel: 1(800) 255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP) and OSHA Hazardous Communication Standard 29 CFR §1910.1200.

- Eye damage/irritation (chapter 3.3), Cat. 2, H319
- Skin corrosion/irritation (chapter 3.2), Cat. 2, H315
- Specific target organ toxicity, repeated exposure (chapter 3.9), Cat. 2, H373
- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3, H335, H336
- Toxic to reproduction (chapter 3.7), Cat. 2, H361
- Flammable liquids (chapter 2.6), Cat. 2, H225
- Aspiration hazard (chapter 3.10), Cat. 1, H304

For the full text corresponding to the "H"-codes displayed in this section, refer to Section 16.

Safety Data Sheet

Seche Vite Dry Top Coat

Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] and OSHA Hazardous Communication Standard 29 CFR §1910.1200.

Hazard pictograms



Signal word

Danger

Hazard statement(s)

H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H225	Highly flammable liquid and vapor
H304	May be fatal if swallowed and enters airways

Precautionary statement(s)

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe /fume/gas/mist/vapours/spray...Intentional misuse by deliberately concentrating and inhaling the contents can be harmful OR fatal
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER/doctor/... if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P233	Store in a well ventilated place. Keep container tightly closed.
P405	Store locked up.
P210	Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/.../equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P370+P378	In case of fire: Use appropriate device to extinguish.
P403+P235	Store in a well ventilated place. Keep cool.

Safety Data Sheet

Seche Vite Dry Top Coat

P102
P301+P310

Keep out of reach of children.
IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

SECTION 3: Composition/information on ingredients

Mixtures

Components

Component	Concentration
BUTYL ACETATE (CAS no.: 123-86-4; EC no.: 204-658-1; Index no.: 607-025-00-1)	30 - 45 %
CLASSIFICATIONS: Flammable liquids (chapter 2.6), Cat. 3; Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3. HAZARDS: H226 - Flammable liquid and vapor; H336 - May cause drowsiness or dizziness.	
TOLUENE (CAS no.: 108-88-3; EC no.: 203-625-9; Index no.: 601-021-00-3)	15 - 30 %
CLASSIFICATIONS: Flammable liquids (chapter 2.6), Cat. 2; Toxic to reproduction (chapter 3.7), Cat. 2; Aspiration hazard (chapter 3.10), Cat. 1; Specific target organ toxicity, repeated exposure (chapter 3.9), Cat. 2; Skin corrosion/irritation (chapter 3.2), Cat. 2; Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3. HAZARDS: H225 - Highly flammable liquid and vapor; H304 - May be fatal if swallowed and enters airways; H315 - Causes skin irritation; H336 - May cause drowsiness or dizziness; H361d - Suspected of damaging the unborn child; H373 - May cause damage to organs through prolonged or repeated exposure.	
ISOPROPANOL Alcohol (CAS no.: 67-63-0; EC no.: 200-661-7; Index no.: 603-117-00-0)	10 - 25 %
CLASSIFICATIONS: Flammable liquids (chapter 2.6), Cat. 2; Eye damage/irritation (chapter 3.3), Cat. 2; Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3. HAZARDS: H225 - Highly flammable liquid and vapor; H319 - Causes serious eye irritation; H336 - May cause drowsiness or dizziness.	

SECTION 4: First aid measures

Description of first aid measures

General notes	Consult a physician. Show this safety data sheet to the doctor in attendance.
Following inhalation	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
Following skin contact	Rinse with plenty of water. Get medical attention if irritation develops and persists.
Following eye contact	Continue rinsing eyes during transport to hospital. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Following ingestion	Clean mouth with water and afterwards drink plenty of water. May cause diarrhea. Do not induce vomiting. Contact a physician.
Self-protection of the first aider	Full protective equipment, including self-contained breathing apparatus is recommended.

Most important symptoms and effects, both acute and delayed

If inhaled for long periods of time, can cause dizziness/drowsiness, headache and nausea

SECTION 5: Firefighting measures

Extinguishing media

Dry chemical, carbon dioxide, Halon foam. Water may be ineffective. Water spray may be used to keep fire exposed containers cool and to disperse vapors.

Safety Data Sheet

Seche Vite Dry Top Coat

Special hazards arising from the substance or mixture

Vapors can travel to a source of ignition and flashback. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner, or properly disposed of.

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and material for containment and cleaning up

Large spills or leaks should be cleaned up by trained personnel using properly planned procedures. Protective equipment should be used. Remove or turn off all sources of ignition, such as, but not limited to, gas heaters, gas stoves, sparks from static electricity, or internal combustion engines (gas forklifts). Ventilate area. Use non-sparking tools. Clear affected area of non-essential personnel. Prevent skin contact and breathing vapors. Prevent product from entering sewers or confined areas. Clean area thoroughly. Follow Local, State and U.S. federal waste disposal regulations. Do not incinerate in closed containers.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink, or smoke while handling this product

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

SECTION 8: Exposure controls/personal protection

Control parameters

CAS: 108-88-3

Toluene

Cal/OSHA: See Annotated Z-2 PEL inhalation; NIOSH: See Annotated Z-2 REL inhalation; OSHA: See Annotated Z-2 ppm PEL inhalation; See Annotated Z-2 mg/m³ PEL inhalation

CAS: 123-86-4

n-Butyl-acetate

Cal/OSHA: 150 ppm, (ST) 200 ppm PEL inhalation; NIOSH: 150 ppm, (ST) 200 ppm REL inhalation; OSHA: 150 ppm PEL inhalation; 710 mg/m³ PEL inhalation

CAS: 67-63-0

Isopropyl alcohol

Cal/OSHA: 400 ppm, (ST) 500 ppm PEL inhalation; NIOSH: 400 ppm, (ST) 500 ppm REL inhalation; OSHA: 400 ppm PEL inhalation; 980 mg/m³ PEL inhalation

Safety Data Sheet

Seche Vite Dry Top Coat

Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protection equipment

Eye and face protection

Depending on the use of this product splash or safety glasses may be worn in an industrial setting. When necessary refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European standard EN166.

Skin protection

Skin Protection: None required with normal household use. Industrial Setting: Protective gloves (for hands) and protective clothing are required where repeated or prolonged skin contact may occur.

Body protection

Body Protection: None required with normal use. Industrial Setting: Protective gloves (for hands) and protective clothing are required where repeated or prolonged skin contact may occur.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Viscous liquid
Odour	Characteristic
Odour threshold	No data available.
pH	Not Applicable
Melting point / freezing point	No data available.
Initial boiling point and boiling range	> 95°F (35°C).
Flash point	-4.44 C (24 F)
Evaporation rate	No data available.
Flammability (solid, gas)	Highly Flammable
Upper/lower flammability limits	No data available.
Vapour pressure	No data available.
Vapour density	No data available.
Relative density	No data available.
Solubilit(ies)	insoluble
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	600 - 700
Explosive properties	No data available.
Oxidizing properties	No data available.

Other information

Specific Gravity - 0.907 - 0.927

Safety Data Sheet

Seche Vite Dry Top Coat

SECTION 10: Stability and reactivity

Reactivity

None under normal use and condition.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal use conditions.

Conditions to avoid

Avoid temperatures above 120 F /49 C, moisture and alkalines.

Incompatible materials

Acids, Alkalies, and Peroxides

Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

Information on toxicological effects**Acute toxicity**

Vapors may cause drowsiness and dizziness.

Skin corrosion/irritation

Causes skin irritation

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitization

May cause respiratory irritation

Germ cell mutagenicity

No data available.

Carcinogenicity

This product does not contain a component that is a known human carcinogens. Information is based on its IARC, ACGIH,NTP, or EPA classification.

Prop 65: This product contains a chemical known to the state of California to cause cancer or reproductive toxicity.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

STOT-single exposure

May cause respiratory irritation and drowsiness or dizziness

STOT-repeated exposure

Safety Data Sheet

Seche Vite Dry Top Coat

May cause respiratory irritation and drowsiness or dizziness

Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

Toxicity

Large volumes of this product may be harmful or fatal to aquatic life.

Persistence and degradability

No data available.

Bioaccumulative potential

No data available.

SECTION 13: Disposal considerations

Waste treatment methods

Disposal of the product

Disposal requirements are dependent on hazard classification and will vary by location and the type of disposal selected. Do not dispose the emptied container unlawfully. Observe all federal, state, and local laws.

SECTION 14: Transport information

DOT (US)

UN Number: 1263

Class: 3

Packing Group: II

Proper Shipping Name: Paint

IMDG

UN Number: 1263

Class: 3

Packing Group: II

Proper Shipping Name: Paint

IATA

UN ID: ID8000

Class: 9

Packing Instructions: Y963

Proper Shipping Name: Consumer Commodity

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Massachusetts Right To Know Components

Chemical name: Butyl acetate

CAS number: 123-86-4

New Jersey Right To Know Components

Safety Data Sheet

Seche Vite Dry Top Coat

Common name: n-BUTYL ACETATE
CAS number: 123-86-4

Pennsylvania Right To Know Components

Chemical name: Acetic acid, butyl ester
CAS number: 123-86-4

Massachusetts Right To Know Components

Chemical name: Toluene
CAS number: 108-88-3

New Jersey Right To Know Components

Common name: TOLUENE
CAS number: 108-88-3

Pennsylvania Right To Know Components

Chemical name: Benzene, methyl-
CAS number: 108-88-3

Massachusetts Right To Know Components

Chemical name: Isopropyl alcohol (mfg-strong acid process)
CAS number: 67-63-0

New Jersey Right To Know Components

Common name: ISOPROPYL ALCOHOL
CAS number: 67-63-0

Pennsylvania Right To Know Components

Chemical name: 2-Propanol
CAS number: 67-63-0

California Prop. 65 components

Chemical name: TOLUENE
CAS number: 108-88-3
01/01/1991 - developmental
08/07/2009 - Developmental, female

Toxic Substances Control Act (TSCA) Inventory

The components of this product are TSCA listed

WHMIS

B2 - Flammable
D2A - Very toxic material
(Toluene)

SECTION 16: Other information

Full text of hazard statements referenced in Section 2

H225	Highly flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure

Safety Data Sheet

Seche Vite Dry Top Coat

Further information/disclaimer

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR § 1910.1200 and GHS. To the best of A.I.I.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.