



## Safety Data Sheet

Printed : 23/09/2016

Revised : V1-R-1-CLP from 23/09/2016

### PASSION - PARFUM

#### 1. SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

##### 1.1. Product identifier

Name of the substance/mixture : **PASSION - PARFUM**

N° CAS TSCA : -  
N° CE :  
N° index REACH An VI :  
N° REACH (partially) :

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : **Parfum**

##### 1.3. Details of the supplier of the safety data sheet

###### SAS PARFUM COSMETIC WORLD

Parc de l'Argile - 213 Voie E  
06370 Mouans-Sartoux - FRANCE  
Tel : +33 (0)4 92 28 23 30  
Fax : +33 (0)4 92 28 23 39  
Web : [www.pcwfrance.com](http://www.pcwfrance.com)  
Email : [info@pcwfrance.com](mailto:info@pcwfrance.com)

Technical responsible : [regulatory@pcwfrance.com](mailto:regulatory@pcwfrance.com)

##### 1.4. Emergency telephone number

Emergency information service of the company

**+33(6) 07 85 74 60** (24h/24h)

National emergency information service

**INERIS : +33(8) 20 20 18 16**

Anti poison Centers in France

**ORFILA : +33(1) 45 42 59 59**

#### 2. SECTION 2 - HAZARDS IDENTIFICATION

##### 2.1. Classification of the substance or mixture

GHS Classification :

(RegulationCLP)

Eye Irrit. 2 Serious eye damage / eye irritation 2  
Flam. Liq. 2 Flammable Liquids 2  
Skin. Sens. 1B Sensitisation, skin 1B



# Safety Data Sheet

Printed : 23/09/2016

PASSION - PARFUM

Revised : V1-R-1-CLP from 23/09/2016

H225 - Highly flammable liquid and vapour  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.

## 2.2. Label elements

GHS Classification :

(RegulationCLP)



Warning mention : Danger

Eye Irrit. 2 Serious eye damage / eye irritation 2

Flam. Liq. 2 Flammable Liquids 2

Skin. Sens. 1B Sensitisation, skin 1B

H225 - Highly flammable liquid and vapour

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240+P241 - Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../equipment.

P243 - Take precautionary measures against static discharge

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272+P363 - Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container according to the local/ regional / national / international Regulation.

## 2.3. Other hazards

**Contains Benzyl salicylate, Tetramethyl acetyloctahydronaphthalenes (OTNE), Limonene, Methylenedioxyphenyl methylpropanal, Coumarin, Cyclohexadecenone, alpha-Pinene, Benzoin Siam resin, Benzoic acid**

COV Swiss - Annex 2 :

**100%**

## 3. SECTION 3 - COMPOSITION INFORMATION ON INGREDIENTS

### 3.1. Substances

### 3.2. Mixtures



# Safety Data Sheet

Printed : 23/09/2016

PASSION - PARFUM

Revised : V1-R-1-CLP from 23/09/2016

Material	C.A.S	EINECS	Classification	Percent %
Ethyl alcohol (Regist. : N° REACH 01-2119457610-43-xxxx / N° INDEX 603-002-00-5)	64-17-5	200-578-6	Flam. Liq. 2 - H225, H319	> 50 %
Benzyl salicylate (Regist. : N° REACH 01-2119969442-31-xxxx)	118-58-1	204-262-9	Aquatic Chronic 3, Skin. Sens. 1B - H317, H319, H320, H371, H412	[ 1-5 ]
Coumarin (Regist. : N° REACH : 01-2119943756-26-xxxx)	91-64-5	202-086-7	Acute Tox. 4, Skin. Sens. 1B - H302, H317	[ 0-1 ]
Cyclohexadecenone (Regist. : N°INDEX 606-119-00-X)	82356-51-2	429-900-5	Aquatic Acute 1, Aquatic Chronic 1, Skin. Sens. 1B - H317, H400, H410	[ 0-1 ]
Limonene (Regist. : N° INDEX 601-029-00-7)	5989-27-5	227-813-5	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin. Sens. 1B - H226, H304, H315, H317, H400, H410	[ 0-1 ]
Methylenedioxyphenyl methylpropanal	1205-17-0	214-881-6	Aquatic Chronic 2, Skin. Sens. 1B - H317, H411	[ 0-1 ]
Tetramethyl acetyloctahydronaphthalenes (OTNE) (Regist. : N° REACH 01-2119489989-04-xxxx)	54464-57-2	259-174-3	Aquatic Chronic 1, Skin Irrit. 2, Skin. Sens. 1B - H315, H317, H410	[ 0-1 ]
alpha-Pinene	80-56-8	201-291-9	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin. Sens. 1B - H226, H304, H315, H317, H400, H410	[ 0-1 ]

Description : **Parfum**  
Solvent : **Ethyl alcohol denat.**  
Colorant(s) : -

## 4. SECTION 4 - FIRST AID MEASURES

### 4.1. Description of first aid measures

**General notes** : Please refer to the risk and safety statements (section 2)

**Following inhalation** : If inhaled : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

**Following ingestion** : If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

**Following skin contact** : If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water before removing clothes. If the symptom persists, consult a doctor.

**Following eye contact** : Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophthalmologist.

**Self-protection of the first aider** : In lack of appropriate formation, none initiative should imply an individual risk.

### 4.2. Most important symptoms and effects, both acute and delayed

See section 2

### 4.3. Indication of any immediate medical attention and special treatment needed



## Safety Data Sheet

Printed : 23/09/2016

PASSION - PARFUM

Revised : V1-R-1-CLP from 23/09/2016

See section 2

### 5. SECTION 5 - FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire. CO<sub>2</sub>, powder, foam, specific liquid.

**Unsuitable extinguishing media** : Never use a direct stream of water.

#### 5.2. Special hazards arising from the substance or mixture

**Flammability** : The product is not flammable.

**Prevention** : Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

**Particular risks linked to exposure** : see section 2

#### Hazardous combustion products :

Release of poison gases : Monoxide de carbone (CO), Dioxyde de carbon (CO<sub>2</sub>), Oxyde d'azotes (NO<sub>x</sub>), Dioxyde de soufre (SO<sub>2</sub>), Cyanures (CN) ....

#### 5.3. Advice for firefighters

**Fire-fighting equipment** : use an appropriate personal protective equipment with an approved positive-pressure self-contained breathing apparatus.

### 6. SECTION 6 - ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

#### For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame).  
Avoid skin/eye contact. Do not inhale vapours.

#### For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

#### 6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water.  
Inform the competent authorities if the product enters in ground or surface waters.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

#### For cleaning up



# Safety Data Sheet

Printed : 23/09/2016

PASSION - PARFUM

Revised : V1-R-1-CLP from 23/09/2016

The soiled elements (rags, absorbent papers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local reglementation

## Other informations

Only qualified personnel is allowed to clean up.

### **6.4. Reference to other sections**

See section 8 for personal protective equipment and section 13 for waste treatment.

## **7. SECTION 7 - HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

#### Protective measures:

See section 2.2



#### Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

#### Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

#### Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

#### Advice on general occupational hygiene:

Follow the general hygiene rules.

### **7.2. Conditions for safe storage, including any incompatibilities**

Storage conditions: Store in its original packaging in a cool dry place, away from light.

Technical measures: Close the container after use.

In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage :

**Industrial : Keep under Nitrogen, in ambient temperature. Avoid prolonged exposure to light, humidity and air.**

### **7.3. Specific end use(s)**

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

## **8. SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **8.1. Control parameters**

**Measures of technical order :** Avoid contact with eyes, skin and clothes. Do not ingest. Do not inhale vapors. Use proper personal protective equipment.



# Safety Data Sheet

Printed : 23/09/2016

PASSION - PARFUM

Revised : V1-R-1-CLP from 23/09/2016

**Monitoring procedures** : If the product contains ingredients presenting exposure limits, he can turn out necessary to make an examination followed by the persons, by the atmosphere in the workplace either bodies living to end the efficiency of the ventilation or the other control measures or estimate the need to use of the material of protection of respiratory tracts. It is important to put back you in the European standard EN 689 concerning the methods to estimate the exhibition by inhalation to the chemical agents and to the national general documents of politics relative to the methods to determine dangerous substances.

## 8.2. Exposure controls

### Appropriate technical controls :

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

### Personal protection measures :

#### Personal protection :

-Protection des mains : Protection non requise.-Protection des yeux : Protection non requise.

-Protection respiratoire : En cas de ventilation insuffisante, porter un appareil respiratoire approprié.

**Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

#### Type of filters

Type AX (Brown) : Organic compounds boiling point < 65°C

Type A (Brown) : Organic compounds boiling point > 65°C

Type B (Grey) : Inorganic gasses and fumes.

Type P (White) : Particles, dusts and aerosols

**Hand protection** : Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing : vinyle disposable.

**Remark** : Recommended impermeable goggles do not only depend of his matter. Other factors can have a signifiant effect on impermeability, like their thickness or specific use or temperature conditions. In all cases, matter certificates should be selected. Ask your supply if the goggles are appropriate to this use.

**Eyes protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Recommanded : Splash goggles, safety glasses with side-shields.

**Skin protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body : Recommanded : lab coat (sarrau), general.

Type 3 : Liquid impermeability

Type 4 : Aerosol impermeability

Type 6 : Impermeability limited to liquid splashes

Foot : Recommanded : neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

## 9. SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance :	<b>Liquid</b>
Color :	<b>Clear yellow</b>
Density at 20°C :	<b>[0.826 ; 0.866]</b>
Refractive index @ 20°C :	<b>[1.378 ; 1.388]</b>



## Safety Data Sheet

Printed : 23/09/2016

PASSION - PARFUM

Revised : V1-R-1-CLP from 23/09/2016

Flash point (°C) (close cup) : **20**

### **9.2. Other information**

NO CONCERNED

## 10. SECTION 10 - STABILITY AND REACTIVITY

### **10.1. Reactivity**

Avoid powerful oxidizing agents

### **10.2. Chemical stability**

Stable under normal conditions.

### **10.3. Possibility of hazardous reactions**

No hazardous reactions when stored and handled according to instructions.

### **10.4. Conditions to avoid**

Avoid any potential source of heat.

### **10.5. Incompatible materials**

NO CONCERNED

### **10.6. Hazardous decomposition products**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Dangerous decomposition products:** No dangerous decomposition products known.

## 11. SECTION 11 - TOXICOLOGICAL INFORMATION

### **11.1. Information on toxicological**

## 12. SECTION 12 - ECOLOGICAL INFORMATION

### **12.1. Toxicity**

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

### **12.2. Persistence and degradability**

NO CONCERNED

### **12.3. Bioaccumulative potential**

NO CONCERNED

### **12.4. Mobility in soil**

PNEC sol :

### **12.5. Results of PBT and vPvB assessment**

vPvB :

PBT :

### **12.6. Other adverse effects**



## Safety Data Sheet

Printed : 23/09/2016

PASSION - PARFUM

Revised : V1-R-1-CLP from 23/09/2016

No data

### 13. SECTION 13 - DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

**Product** : Does not have to be evacuated with the refuse. Not let it penetrate in the sewers.

**Not cleaned packing** : Evacuation according to local reglementation.

### 14. SECTION 14 - TRANSPORT INFORMATION

ADR:



IMDG:



IATA:



#### 14.1. UN number

ADR : 1266 ( Tunnel code (D/E) )

IMDG:1266

IATA :1266

#### 14.2. UN proper shipping name

ADR : Perfumery products

IMDG:Perfumery products

IATA :Perfumery products

#### 14.3. Transport hazard class(es)

ADR : 3

IMDG:3

IATA :3

#### 14.4. Packing group

ADR : II

IMDG:II

IATA :II

#### 14.5. Environmental hazards

IMDG : NO CONCERNED





# Safety Data Sheet

Printed : 23/09/2016

PASSION - PARFUM

Revised : V1-R-1-CLP from 23/09/2016

## 14.6. Special precautions for user

NO CONCERNED

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

(Except particular case)

### IBC Liquid substances

Metal (31A, 31B, 31N)

Plastic (31H1, 31H2)

### GRV Solid substances

Metal (11A, 11B, 21A, 21N)

Plastic (11H1, 11H2, 21H1, 21H2)

## 15. SECTION 15 - REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Custom tariff :

**3303 00 10 00**

### 15.2. Chemical safety assessment

## 16. SECTION 16 - OTHER INFORMATIONS

Full H sentences text in point 3 :

H225 Highly flammable liquid and vapour

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H320 Causes eye irritation

H371 May cause damage to organs &lt;or state all organs affected, if known&gt; &lt;state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard&gt;.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

### Key literature references and sources for data

Sources for data : Information from supplier

Literature references : ECHA

Literature references EU : Reg. 1272/2008

Safety data sheet according to REG. 1272/2008/CE and its amendings

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.



# Safety Data Sheet

Printed : 15/09/2014

Revised : V1-R-1-CLP du 15/09/2014

## SERENITUDE - EAU DE PARFUM

### 1. SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

#### 1.1. Product identifier

Name of the substance/mixture : **SERENITUDE - EAU DE PARFUM**

N° CAS TSCA : -  
N° CE :  
N° index REACH An VI :  
N° REACH (partially) :

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : **Eau de Parfum**

#### 1.3. Details of the supplier of the safety data sheet

##### **SAS PARFUM COSMETIC WORLD**

Parc de l'Argile - 213 Voie E  
06370 Mouans-Sartoux - FRANCE  
Tel : +33 (0)4 92 28 23 30  
Fax : +33 (0)4 92 28 23 39  
Web : [www.pcwfrance.com](http://www.pcwfrance.com)  
Email : [info@pcwfrance.com](mailto:info@pcwfrance.com)

Technical responsible : [regulatory@pcwfrance.com](mailto:regulatory@pcwfrance.com)

#### 1.4. Emergency telephone number

Emergency information service of the company

**+33(6) 07 85 74 60** (24h/24h)

National emergency information service

**INERIS : +33(8) 20 20 18 16**

Anti poison Centers in France

**ORFILA : +33(1) 45 42 59 59**

### 2. SECTION 2 - HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

According to Regulation (EC) 1272/2008

(Legislation CLP)

AH1 Aspiration hazard 1  
EDI1 Serious eye damage / eye irritation 1  
EHC3 Hazardous to the aquatic environment, long-term hazard 3  
FL2 Flammable Liquids 2  
SCI2 Skin corrosion / irritation 2



## Safety Data Sheet

Printed : 15/09/2014

SERENITUDE - EAU DE PARFUM

Revised : V1-R-1-CLP du 15/09/2014

SS1A Sensitisation, skin 1A

H225 - Highly flammable liquid and vapour

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

EUH208 - May produce an allergic reaction. See components declared in pt 15 of the SDS.

According to Dir. 67/548/EC & 1999/45/EC

- Physico-chemical Hazards :

R10:Flammable.

### 2.2. Label elements

According to Regulation (EC) 1272/2008

(Legislation CLP)



Warning mention : Danger

AH1 Aspiration hazard 1

EDI1 Serious eye damage / eye irritation 1

EHC3 Hazardous to the aquatic environment, long-term hazard 3

FL2 Flammable Liquids 2

SCI2 Skin corrosion / irritation 2

SS1A Sensitisation, skin 1A

H225 - Highly flammable liquid and vapour

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P243 - Take precautionary measures against static discharge

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272+P363 - Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 - IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container according to the local/ regional / national / international Regulation.

P240+P241 - Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../equipment.

EUH208 - May produce an allergic reaction. See components declared in pt 15 of the SDS.

According to Dir. 67/548/EC & 1999/45/EC

- Physico-chemical Hazards :



# Safety Data Sheet

Printed : 15/09/2014

SERENITUDE - EAU DE PARFUM

Revised : V1-R-1-CLP du 15/09/2014

R10:Flammable.

## 2.3. Other hazards

Sensitizing substances :

See Tab. 3.1 : Phrases H317 and/or EUH208

COV Swiss - Annex 2 :

**100%**

## 3. SECTION 3 - COMPOSITION INFORMATION ON INGREDIENTS

### 3.1. Substances

### 3.2. Mixtures

Material	C.A.S	EINECS	Classification	Classification CLP	Percent %
Ethyl alcohol (Regist. : N° REACH 01-2119457610-43-xxxx / N° INDEX 603-002-00-5)	64-17-5	200-578-6	F, F+ R11	FL2 - H225	> à 50 %
Buddha light	-			AH1, EDI1, EHC2, SCI2, SS1A - H304, H315, H317, H318, H411	[ 10-20 ]
Ethyl acetate (impurity)	141-78-6	205-500-4	F, Xi R11 R36 R66 R67	EDI2, EUH066, FL2, STO-SE3-NE - H225, H319, H336	[ 0-1 ]
Eucalyptol	470-82-6	207-431-5	F, Xi R10 R43		[ 0-1 ]
Methanol (impurity)	67-56-1		F, T+ R11 R23/24/25 R39d		[ 0-1 ]
Propyl alcohol (impurity) (Regist. : N° INDEX 603-003-00-0)	71-23-8	200-746-9	F, Xi R11 R41 R67		[ 0-1 ]
ter-Butanol (TBA) (Regist. : N° INDEX 603-005-00-1)	75-65-0	200-889-7	F, Xn R11 R20 R36/37	AT14, EDI2, FL2, STO-SE3-R1 - H225, H319, H332, H335	[ 0-1 ]

Description :

**Eau de Parfum**

Solvent :

**Ethyl alcohol denat. / Aqua**

Colorant(s) :

-

## 4. SECTION 4 - FIRST AID MEASURES

### 4.1. Description of first aid measures

**General notes** : Please refer to the risk and safety statements (section 2)**Following inhalation** : If inhaled : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.**Following ingestion** : If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.**Following skin contact** : If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water before removing clothes. If the symptom persists, consult a doctor.**Following eye contact** : Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophthalmologist.**Self-protection of the first aider** : In lack of appropriate formation, none initiative should imply an individual risk.

3/10



## Safety Data Sheet

Printed : 15/09/2014

SERENITUDE - EAU DE PARFUM

Revised : V1-R-1-CLP du 15/09/2014

### **4.2. Most important symptoms and effects, both acute and delayed**

See section 2

### **4.3. Indication of any immediate medical attention and special treatment needed**

See section 2

## 5. SECTION 5 - FIREFIGHTING MEASURES

### **5.1. Extinguishing media**

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire. CO<sub>2</sub>, powder, foam, specific liquid.

**Unsuitable extinguishing media** : Never use a direct stream of water.

### **5.2. Special hazards arising from the substance or mixture**

**Flammability** : The product is flammable.

**Prevention** : Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

**Particular risks linked to exposure** : see section 2

### **Hazardous combustion products :**

Release of poison gases : *Monoxide de carbone (CO), Dioxyde de carbon (CO<sub>2</sub>), Oxyde d'azotes (NO<sub>x</sub>), Dioxyde de soufre (SO<sub>2</sub>), Cyanures (CN) ....*

### **5.3. Advice for firefighters**

**Fire-fighting equipment** : use an appropriate personal protective equipment with an approved positive-pressure self contained breathing apparatus.

## 6. SECTION 6 - ACCIDENTAL RELEASE MEASURES

### **6.1. Personal precautions, protective equipment and emergency procedures**

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

#### For non-emergency personnel

*Keep them away from the area. Avoid all sources of ignition (spark of flame).*

*Avoid skin/eye contact. Do not inhal vapours.*

#### For emergency responders

*Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.*

### **6.2. Environmental precautions**

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water.

Inform the competent authorities if the product enters in ground or surface waters.

### **6.3. Methods and material for containment and cleaning up**



# Safety Data Sheet

Printed : 15/09/2014

SERENITUDE - EAU DE PARFUM

Revised : V1-R-1-CLP du 15/09/2014

## For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

## For cleaning up

The soiled elements (rags, absorbent papers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local relementation

## Other informations

Only qualified personnel is allowed to clean up.

### **6.4. Reference to other sections**

See section 8 for personal protective equipment and section 13 for waste treatment.

## 7. SECTION 7 - HANDLING AND STORAGE

### **7.1. Precautions for safe handling**

#### Protective measures:

See section 2.2



#### Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

#### Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

#### Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

#### Advice on general occupational hygiene:

Follow the general hygiene rules.

### **7.2. Conditions for safe storage, including any incompatibilities**

Storage conditions: Store in its original packaging in a cool dry place, away from light.

Technical measures: Close the container after use.

In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage :

**Industrial : Keep under Nitrogen, in ambient temperature. Avoid prolonged exposure to light, humidity and air.**

### **7.3. Specific end use(s)**

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

## 8. SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION



# Safety Data Sheet

Printed : 15/09/2014

SERENITUDE - EAU DE PARFUM

Revised : V1-R-1-CLP du 15/09/2014

## 8.1. Control parameters

**Measures of technical order** : Avoid contact with eyes, skin and clothes. Do not ingest. Do not inhale vapors. Use proper personal protective equipment.

**Monitoring procedures** : If the product contains ingredients presenting exposure limits, it can turn out necessary to make an examination followed by the persons, by the atmosphere in the workplace either bodies living to end the efficiency of the ventilation or the other control measures or estimate the need to use of the material of protection of respiratory tracts. It is important to put back you in the European standard EN 689 concerning the methods to estimate the exhibition by inhalation to the chemical agents and to the national general documents of politics relative to the methods to determine dangerous substances.

## 8.2. Exposure controls

Appropriate technical controls :

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

Personal protection measures :

**Personal protection** :

-Protection des mains : Protection non requise.-Protection des yeux : Protection non requise.

-Protection respiratoire : En cas de ventilation insuffisante, porter un appareil respiratoire approprié.

**Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown) : Organic compounds boiling point < 65°C

Type A (Brown) : Organic compounds boiling point > 65°C

Type B (Grey) : Inorganic gasses and fumes.

Type P (White) : Particles, dusts and aerosols

**Hand protection** : Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing : vinyle disposable.

**Remark** : Recommended impermeable goggles do not only depend of his matter. Other factors can have a significant effect on impermeability, like their thickness or specific use or temperature conditions. In all cases, matter certificates should be selected. Ask your supply if the goggles are appropriate to this use.

**Eyes protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Recommended : Splash goggles, safety glasses with side-shields.

**Skin protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body : Recommended : lab coat (sarrau), general.

Type 3 : Liquid impermeability

Type 4 : Aerosol impermeability

Type 6 : Impermeability limited to liquid splashes

Foot : Recommended : neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

## 9. SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance : **Liquid**



## Safety Data Sheet

Printed : 15/09/2014

SERENITUDE - EAU DE PARFUM

Revised : V1-R-1-CLP du 15/09/2014

Color : **Colourless to clear yellow**

Density at 20 C : **[0.826 ; 0.866]**

Refractive index @ 20 C : **[1.376 ; 1.386]**

Flash point ( C ) (close cup) : **22**

### **9.2. Other information**

Not applicable

## 10. SECTION 10 - STABILITY AND REACTIVITY

### **10.1. Reactivity**

Avoid powerful oxidizing agents

### **10.2. Chemical stability**

Stable under normal conditions.

### **10.3. Possibility of hazardous reactions**

No hazardous reactions when stored and handled according to instructions.

### **10.4. Conditions to avoid**

Avoid any potential source of heat.

### **10.5. Incompatible materials**

Not applicable

### **10.6. Hazardous decomposition products**

**Thermal decomposition / conditions to be avoided:** Avoid contact with any flame or spark, flame, Overheat. Avoid Direct rays of the sun. No decomposition if used according to specifications.

**Dangerous decomposition products:** No dangerous decomposition products known.

## 11. SECTION 11 - TOXICOLOGICAL INFORMATION

### **11.1. Information on toxicological**

## 12. SECTION 12 - ECOLOGICAL INFORMATION

### **12.1. Toxicity**

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

### **12.2. Persistence and degradability**

Not applicable

### **12.3. Bioaccumulative potential**

Not applicable

### **12.4. Mobility in soil**

PNEC sol :

### **12.5. Results of PBT and vPvB assessment**

vPvB :





## Safety Data Sheet

Printed : 15/09/2014

SERENITUDE - EAU DE PARFUM

Revised : V1-R-1-CLP du 15/09/2014

PBT :

### 12.6. Other adverse effects

No data

## 13. SECTION 13 - DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Product** : Does not have to be evacuated with the refuse. Not let it penetrate in the sewers.

**Not cleaned packing** : Evacuation according to local reglementation.

## 14. SECTION 14 - TRANSPORT INFORMATION

ADR:



IMDG:



IATA:



### 14.1. UN number

ADR : 1266 ( Tunnel code (D/E) )

IMDG:1266

IATA :ID8000

### 14.2. UN proper shipping name

ADR : Perfumery products

IMDG:Perfumery products

IATA :Consumer commodity

### 14.3. Transport hazard class(es)

ADR : 3

IMDG:3

IATA :9

### 14.4. Packing group

ADR : II

IMDG:II

IATA :III



## Safety Data Sheet

Printed : 15/09/2014

SERENITUDE - EAU DE PARFUM

Revised : V1-R-1-CLP du 15/09/2014

### 14.5. Environmental hazards

IMDG : Not applicable

### 14.6. Special precautions for user

Not applicable

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

(Except particular case)

#### IBC Liquid substances

Metal (31A, 31B, 31N)

Plastic (31H1, 31H2)

#### GRV Solid substances

Metal (11A, 11B, 21A, 21N)

Plastic (11H1, 11H2, 21H1, 21H2)

## 15. SECTION 15 - REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Custom tariff : **3303 00**

### 15.2. Chemical safety assessment

## 16. SECTION 16 - OTHER INFORMATIONS

H225 Highly flammable liquid and vapour  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.  
H336 Kann Schläfrigkeit und Benommenheit verursachen.  
H411 Toxic to aquatic life with long lasting effects.

R11 Highly flammable.  
R10 Flammable.  
R41 Risk of serious damage to eyes.  
R36 Irritating to eyes.  
R20 Harmful by inhalation.  
R43 May cause sensitization by skin contact.  
R67 Vapours may cause drowsiness and dizziness.  
R66 Repeated exposure may cause skin dryness or cracking.  
R36/37 Irritating to eyes and respiratory system.  
R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.  
R39d Danger of very serious irreversible effects in contact with skin

---

#### Key literature references and sources for data

Sources for data : Information from supplier



## Safety Data Sheet

Printed : 15/09/2014

SERENITUDE - EAU DE PARFUM

Revised : V1-R-1-CLP du 15/09/2014

Literature references : ECHA

Literature references EU : Reg. 1272/2008

-----  
Safety data sheet according to REG. 1272/2008/CE and its amendings

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

-----



# Safety Data Sheet

Printed : 23/04/2015

Revised : V1-R-1-CLP du 23/04/2015

## VITALITE - PARFUM

### 1. SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

#### 1.1. Product identifier

Name of the substance/mixture : VITALITE - PARFUM

N° CAS TSCA : -  
N° CE :  
N° index REACH An VI :  
N° REACH (partially) :

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Parfum

#### 1.3. Details of the supplier of the safety data sheet

##### SAS PARFUM COSMETIC WORLD

Parc de l'Argile - 213 Voie E  
06370 Mouans-Sartoux - FRANCE  
Tel : +33 (0)4 92 28 23 30  
Fax : +33 (0)4 92 28 23 39  
Web : www.pcwfrance.com  
Email : info@pcwfrance.com

Technical responsible : regulatory@pcwfrance.com

#### 1.4. Emergency telephone number

Emergency information service of the company

**+33(6) 07 85 74 60** (24h/24h)

National emergency information service

**INERIS : +33(8) 20 20 18 16**

Anti poison Centers in France

**ORFILA : +33(1) 45 42 59 59**

### 2. SECTION 2 - HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

According to Regulation (EC) 1272/2008

(Legislation CLP)

EHC2 Hazardous to the aquatic environment, long-term hazard 2  
FL2 Flammable Liquids 2  
SS1B Sensitisation, skin 1B

H225 - Highly flammable liquid and vapour



# Safety Data Sheet

Printed : 23/04/2015

VITALITE - PARFUM

Revised : V1-R-1-CLP du 23/04/2015

H411 - Toxic to aquatic life with long lasting effects.

EUH208 - May produce an allergic reaction. Contain : Geraniol, 6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone, Tetramethyl acetyloctahydronaphthalenes (OTNE), Limonene<sup>†</sup>

## 2.2. Label elements

According to Regulation (EC) 1272/2008

(Legislation CLP)



Warning mention : Danger

EHC2 Hazardous to the aquatic environment, long-term hazard 2  
 FL2 Flammable Liquids 2  
 SS1B Sensitisation, skin 1B

H225 - Highly flammable liquid and vapour  
 H411 - Toxic to aquatic life with long lasting effects.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P240+P241 - Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../equipment.  
 P243 - Take precautionary measures against static discharge  
 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P272+P363 - Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
 P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
 P403+P235 - Store in a well-ventilated place. Keep cool.  
 P501 - Dispose of contents/container according to the local/ regional / national / international Regulation.

EUH208 - May produce an allergic reaction. Contain : Geraniol, 6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone, Tetramethyl acetyloctahydronaphthalenes (OTNE), Limonene<sup>†</sup>

## 2.3. Other hazards

Sensitizing substances : See Tab. 3.1 : Phrases H317 and/or EUH208

COV Swiss - Annex 2 : **100%**

## 3. SECTION 3 - COMPOSITION INFORMATION ON INGREDIENTS

### 3.1. Substances

### 3.2. Mixtures

Material	C.A.S	EINECS	Classification	Percent %
----------	-------	--------	----------------	-----------



# Safety Data Sheet

Printed : 23/04/2015

VITALITE - PARFUM

Revised : V1-R-1-CLP du 23/04/2015

Ethyl alcohol (Regist. : N° REACH 01-2119457610-43-xxxx / N° INDEX 603-002-00-5)	64-17-5	200-578-6	FL2 - H225	> à 50 %
Ethylene brassylate	105-95-3	203-347-8	EHC2 - H411	[ 1-5 ]
Limonene (Regist. : N° INDEX 601-029-00-7)	5989-27-5	227-813-5	AH1, EHA1, EHC1, FL3, SCI2, SS1B - H226, H304, H315, H317, H410	[ 1-5 ]
Oxacyclohexadec-12-En-2-One, (12e)- (Regist. : N° REACH 01-0000016883-62-xxxx / N° INDEX 606-092-00-4)	111879-80-2	422-320-3	EHA1, EHC1 - H400, H410	[ 1-5 ]
Tetramethyl acetyloctahydronaphthalenes (OTNE) (Regist. : N° REACH 01-2119489989-04-xxxx)	54464-57-2	259-174-3	EHA1, EHC1, SCI2, SS1B - H315, H317, H400, H410	[ 1-5 ]
2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde	68039-49-6	268-264-1	EDI2, EHC3, SCI2, SS1B - H315, H317, H319, H412	[ 0-1 ]
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indan one	33704-61-9	251-649-3	EDI2, EHC2, SCI2, SS1A - H315, H317, H319, H411	[ 0-1 ]
Citral (Regist. : N° INDEX 605-019-00-3)	5392-40-5	226-394-6	EDI2, SCI2, SS1B - H315, H317, H319	[ 0-1 ]
Citronellol	106-22-9	203-375-0	EDI2, SCI2, SS1B - H315	[ 0-1 ]
Dimethyl tetrahydrobenzaldehyde	68737-61-1		EDI2, EHC3, SCI2, SS1 - H315, H317, H319, H412	[ 0-1 ]
Ethyl acetate (Regist. : N° INDEX : 607-022-00-5)	141-78-6	205-500-4	EDI2, EUH066, FL2, STO-SE3-NE - H225, H319, H336	[ 0-1 ]
Geraniol (Regist. : N° REACH : 01-2119552430-49-xxxx)	106-24-1	203-377-1	EDI1, SCI2, SS1A - H315	[ 0-1 ]
Geranyl acetate	105-87-3	203-341-5	EHC2 - H411	[ 0-1 ]
Lemon oil (Regist. : N° REACH 01-2119495512-35-xxxx)	8008-56-8	84929-31-7	AH1, EHA1, EHC1, FL3, SCI2, SS1 - H226, H304, H315, H317, H400, H410	[ 0-1 ]
Linalool (Regist. : N° REACH : 01-2119474016-42-xxxx)	78-70-6	201-134-4	EDI2, SCI2 - H315, H319	[ 0-1 ]
Linalyl acetate (Regist. : N° REACH 17-2119421259-41-xxxx)	115-95-7	204-116-4	EDI2, SCI2 - H315, H319	[ 0-1 ]
Nerolidol (isomer unspecified) (Regist. : N° REACH : 01-2119457636-29-xxxx)	7212-44-4	230-597-5	EDI2, EHA1, EHC1 - H319, H410	[ 0-1 ]
Petitgrain Mandarin oil	8014-17-3	84929-38-4	AH1, EHC2, SCI2, SS1 - H304, H315, H317, H411	[ 0-1 ]
alpha-Cedrene	469-61-4	207-418-4	AH1, EHA1, EHC1 - H304, H400, H410	[ 0-1 ]
beta-Ionone	14901-07-6	238-969-9	EHC2 - H411	[ 0-1 ]
beta-Pinene	127-91-3	204-872-5	AH1, FL3, SCI2, SS1B - H226, H304, H315, H317	[ 0-1 ]
p-Cymene	99-87-6	202-796-7	AH1, EHC2, FL3 - H226, H304, H411	[ 0-1 ]
ter-Butanol (TBA) (Regist. : N° INDEX 603-005-00-1)	75-65-0	200-889-7	AT14, EDI2, FL2, STO-SE3-RI - H225, H319, H332, H335	[ 0-1 ]

Description :

**Parfum**

Solvent :

**Ethyl alcohol denat. / Aqua**

Colorant(s) :

-

## 4. SECTION 4 - FIRST AID MEASURES

### 4.1. Description of first aid measures



## Safety Data Sheet

Printed : 23/04/2015

VITALITE - PARFUM

Revised : V1-R-1-CLP du 23/04/2015

**General notes** : Please refer to the risk and safety statements (section 2)

**Following inhalation** : If inhaled : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

**Following ingestion** : If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

**Following skin contact** : If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water before removing clothes. If the symptom persists, consult a doctor.

**Following eye contact** : Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophthalmologist.

**Self-protection of the first aider** : In lack of appropriate formation, none initiative should imply an individual risk.

### **4.2. Most important symptoms and effects, both acute and delayed**

See section 2

### **4.3. Indication of any immediate medical attention and special treatment needed**

See section 2

## 5. SECTION 5 - FIREFIGHTING MEASURES

### **5.1. Extinguishing media**

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire. CO<sub>2</sub>, powder, foam, specific liquid.

**Unsuitable extinguishing media** : Never use a direct stream of water.

### **5.2. Special hazards arising from the substance or mixture**

**Flammability** : The product is not flammable.

**Prevention** : Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

**Particular risks linked to exposure** : see section 2

### **Hazardous combustion products :**

Release of poison gases : Monoxide de carbone (CO), Dioxyde de carbon (CO<sub>2</sub>), Oxyde d'azotes (NO<sub>x</sub>), Dioxyde de soufre (SO<sub>2</sub>), Cyanures (CN) ....

### **5.3. Advice for firefighters**

**Fire-fighting equipment** : use an appropriate personal protective equipment with an approved positive-pressure self-contained breathing apparatus.

## 6. SECTION 6 - ACCIDENTAL RELEASE MEASURES

### **6.1. Personal precautions, protective equipment and emergency procedures**

Call immediately the emergency personnel.



# Safety Data Sheet

Printed : 23/04/2015

VITALITE - PARFUM

Revised : V1-R-1-CLP du 23/04/2015

Promote adequate ventilation in the area.

### For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark or flame).  
Avoid skin/eye contact. Do not inhale vapours.

### For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

## **6.2. Environmental precautions**

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water.  
Inform the competent authorities if the product enters in ground or surface waters.

## **6.3. Methods and material for containment and cleaning up**

### For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

### For cleaning up

The soiled elements (rags, absorbent papers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local regulation.

### Other informations

Only qualified personnel is allowed to clean up.

## **6.4. Reference to other sections**

See section 8 for personal protective equipment and section 13 for waste treatment.

## **7. SECTION 7 - HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

#### Protective measures:

See section 2.2



#### Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

#### Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

#### Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

#### Advice on general occupational hygiene:

Follow the general hygiene rules.

### **7.2. Conditions for safe storage, including any incompatibilities**





# Safety Data Sheet

Printed : 23/04/2015

VITALITE - PARFUM

Revised : V1-R-1-CLP du 23/04/2015

Storage conditions: Store in its original packaging in a cool dry place, away from light.

Technical measures: Close the container after use.  
In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage : **Industrial : Keep under Nitrogen, in ambient temperature. Avoid prolonged exposure to light, humidity and air.**

### 7.3. Specific end use(s)

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

## 8. SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. Control parameters

**Measures of technical order :** Avoid contact with eyes, skin and clothes. Do not ingest. Do not inhale vapors. Use proper personal protective equipment.

**Monitoring procedures :** If the product contains ingredients presenting exposure limits, it can turn out necessary to make an examination followed by the persons, by the atmosphere in the workplace either bodies living to end the efficiency of the ventilation or the other control measures or estimate the need to use of the material of protection of respiratory tracts. It is important to put back you in the European standard EN 689 concerning the methods to estimate the exhibition by inhalation to the chemical agents and to the national general documents of politics relative to the methods to determine dangerous substances.

### 8.2. Exposure controls

#### Appropriate technical controls :

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

#### Personal protection measures :

##### **Personal protection :**

-Protection des mains : Protection non requise.-Protection des yeux : Protection non requise.

-Protection respiratoire : En cas de ventilation insuffisante, porter un appareil respiratoire approprié.

**Respiratory protection :** Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

##### Type of filters

Type AX (Brown) : Organic compounds boiling point < 65°C

Type A (Brown) : Organic compounds boiling point > 65°C

Type B (Grey) : Inorganic gasses and fumes.

Type P (White) : Particles, dusts and aerosols

**Hand protection :** Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing : vinyle disposable.

**Remark :** Recommended impermeable goggles do not only depend of his matter. Other factors can have a significant effect on impermeability, like their thickness or specific use or temperature conditions. In all cases, matter certificates should be selected. Ask your supply if the goggles are appropriate to this use.

**Eyes protection :** Safety eyewear complying with an approved standard should be used when a risk assessment



# Safety Data Sheet

Printed : 23/04/2015

VITALITE - PARFUM

Revised : V1-R-1-CLP du 23/04/2015

indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.  
Recommended : Splash goggles, safety glasses with side-shields.

**Skin protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body : Recommended : lab coat (sarrau), general.

Type 3 : Liquid impermeability

Type 4 : Aerosol impermeability

Type 6 : Impermeability limited to liquid splashes

Foot : Recommended : neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

## 9. SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance :	<b>Liquid</b>
Color :	<b>Colourless to clear green translucent</b>
Density at 20°C :	<b>[0.826 ; 0.866]</b>
Refractive index @ 20°C :	<b>[1.373 ; 1.383]</b>
Flash point (°C) (close cup) :	<b>21</b>

### 9.2. Other information

Not applicable

## 10. SECTION 10 - STABILITY AND REACTIVITY

### 10.1. Reactivity

Avoid powerful oxidizing agents

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

### 10.4. Conditions to avoid

Avoid any potential source of heat.

### 10.5. Incompatible materials

Not applicable

### 10.6. Hazardous decomposition products

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Dangerous decomposition products:** No dangerous decomposition products known.

## 11. SECTION 11 - TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological

## 12. SECTION 12 - ECOLOGICAL INFORMATION



## Safety Data Sheet

Printed : 23/04/2015

VITALITE - PARFUM

Revised : V1-R-1-CLP du 23/04/2015

### 12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

### 12.2. Persistence and degradability

Not applicable

### 12.3. Bioaccumulative potential

Not applicable

### 12.4. Mobility in soil

PNEC sol :

### 12.5. Results of PBT and vPvB assessment

vPvB :

PBT :

### 12.6. Other adverse effects

No data

## 13. SECTION 13 - DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Product** : Does not have to be evacuated with the refuse. Not let it penetrate in the sewers.

**Not cleaned packing** : Evacuation according to local reglementation.

## 14. SECTION 14 - TRANSPORT INFORMATION

ADR:



IMDG:



IATA:



### 14.1. UN number

ADR : 1266 ( Tunnel code (D/E) )

IMDG:1266

IATA :ID8000

### 14.2. UN proper shipping name



## Safety Data Sheet

Printed : 23/04/2015

VITALITE - PARFUM

Revised : V1-R-1-CLP du 23/04/2015

ADR : Perfumery products  
IMDG: Perfumery products  
IATA : Consumer commodity

### 14.3. Transport hazard class(es)

ADR : 3  
IMDG:3  
IATA :9

### 14.4. Packing group

ADR : II  
IMDG:II  
IATA :Not applicable

### 14.5. Environmental hazards

IMDG :

### 14.6. Special precautions for user

Not applicable

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

(Except particular case)

IBC Liquid substances  
Metal (31A, 31B, 31N)  
Plastic (31H1, 31H2)

GRV Solid substances  
Metal (11A, 11B, 21A, 21N)  
Plastic (11H1, 11H2, 21H1, 21H2)

## 15. SECTION 15 - REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Custom tariff : **3303 00 10 00**

### 15.2. Chemical safety assessment

## 16. SECTION 16 - OTHER INFORMATIONS

H225 Highly flammable liquid and vapour  
H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.  
H336 Kann Schläfrigkeit und Benommenheit verursachen.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.



## Safety Data Sheet

Printed : 23/04/2015

VITALITE - PARFUM

Revised : V1-R-1-CLP du 23/04/2015

H412 Harmful to aquatic life with long lasting effects.

---

**Key literature references and sources for data**

Sources for data : Information from supplier

Literature references : ECHA

Literature references EU : Reg. 1272/2008

---

Safety data sheet according to REG. 1272/2008/CE and its amendings

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

---

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.12.2012


Version number 1

Revision: 17.12.2012


### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: JOIE ECLAT VA-300-169V2**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the preparation : diluted perfume**
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
FRANCE LAB  
14 rue Clément Marot  
75008 PARIS  
tel : 01 49 52 09 85  
fax : 01 45 03 21 84  
www.france-lab.com
- **1.4 Emergency telephone number:**  
France (ORFILA 24h/24) - Tel : +33 (0)1 45 42 59 59  
Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24)  
EU Tel : 112

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC :**  
 F; Highly flammable  
R11: Highly flammable.
- **Information concerning particular hazards for human and environment:**  
The product has to be labelled in the latest valid version according to the calculation procedure of the "General Classification guideline for preparations of the EU".
- **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

---

- **2.2 Label elements**
- **Labelling according to EU guidelines:**  
The product has been marked in accordance with EU Directives / respective national laws.  
2008/58/CE (30eme ATP) ; 2009/2/CE (31eme ATP) ; 2006/8/CE
- **Code letter and hazard designation of product:**  
 F Highly flammable
- **Risk phrases:**  
11 Highly flammable.
- **Safety phrases:**  
2 Keep out of the reach of children.  
46 If swallowed, seek medical advice immediately and show this container or label.  
56 Dispose of this material and its container to hazardous or special waste collection point.
- **Special labelling of certain preparations:**  
Contains Citral, Citronellol, dipentene, Linalool, Geraniol, Farnesol. May produce an allergic reaction.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

GB

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 17.12.2012

Version number 1

Revision: 17.12.2012




Trade name: JOIE ECLAT VA-300-169V2

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterization: Mixtures**
- **Description:** Mixture: consisting of the following components.

- **Dangerous components:**

CAS: 64-17-5	ethanol	50-100%
EINECS: 200-578-6	 F R11	
Reg.nr.: 01-2119457610-43-xxxx	 Flam. Liq. 2, H225;  Eye Irrit. 2, H319	

- **Additional information:** For the wording of the listed risk phrases, refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After excessive inhalation:** Supply fresh air; consult a doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult a doctor.
- **4.2 Most important symptoms and effects, both acute and delayed :**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed :**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture :** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures :**  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **6.4 Reference to other sections :**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protective equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling :**  
Keep receptacles tightly sealed.  
Keep away from heat and direct sunlight.

(Contd. on page 3)

-GB-

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.12.2012

Version number 1

Revision: 17.12.2012

Trade name: JOIE ECLAT VA-300-169V2

(Contd. of page 2)

· **Information about fire - and explosion protection:**



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· **7.3 Specific end use(s) :** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see section 7.

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**64-17-5 ethanol (50-100%)**

WEL (Great Britain) Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

· **Additional information:**

As a basis for the production of this document, the most current valid lists were used.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

· **Respiratory protection:** Not required.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Gloves material :**

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which may vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked before use.

· **Eye protection:**



Tightly sealed goggles

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Colour: According to product specification

· **Odour:** Characteristic

· **Odour threshold:** Not determined.

· **pH-value:** Not determined.

(Contd. on page 4)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.12.2012

Version number 1

Revision: 17.12.2012

Trade name: JOIE ECLAT VA-300-169V2

(Contd. of page 3)

· <b>Change in condition</b>	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	78 °C
· <b>Flash point:</b>	17.5 °C
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	425 °C
· <b>Decomposition temperature:</b>	Not determined.
· <b>Self-igniting:</b>	Product is not self igniting.
· <b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· <b>Explosion limits:</b>	
Lower:	3.5 Vol %
Upper:	15.0 Vol %
· <b>Vapour pressure at 20 °C:</b>	59 hPa
· <b>Density at 20 °C:</b>	0.8854 g/cm <sup>3</sup>
· <b>Relative density :</b>	Not determined.
· <b>Vapour density :</b>	Not determined.
· <b>Evaporation rate :</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
Dynamic:	Not determined.
Kinematic:	Not determined.
· <b>Solvent content:</b>	
VOC (EC)	70 %
	67.27 %
· <b>9.2 Other information :</b>	No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions :** No dangerous reactions known.
- **10.4 Conditions to avoid :** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **On the skin:** No irritant effect.
- **On the eyes:** No irritant effect.

(Contd. on page 5)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.12.2012

Version number 1

Revision: 17.12.2012

Trade name: JOIE ECLAT VA-300-169V2

(Contd. of page 4)

· **Sensitization:** No sensitizing effects known.



### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability :** No further relevant information available.
- **12.3 Bioaccumulative potential :** No further relevant information available.
- **12.4 Mobility in soil :** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects :** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation :**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- |   |   |
|---|---|
| · <b>14.1 UN-Number</b>   |   |
| · <b>ADR, IMDG, IATA</b>  | UN1266  |
| · <b>14.2 UN proper shipping name</b>   |   |
| · <b>ADR</b>  | 1266 PERFUMERY PRODUCTS, special provision 640D |
| · <b>IMDG, IATA</b>   | PERFUMERY PRODUCTS                              |
| · <b>14.3 Transport hazard class(es)</b>  |   |
| · <b>ADR</b>  |   |
|  |   |
| · <b>Class</b>  | 3 (F1) Flammable liquids.                       |
| · <b>Label</b>  | 3   |
| <hr style="border-top: 1px dashed black;"/>   |   |
| · <b>IMDG, IATA</b>   |   |
|  |   |
| · <b>Class</b>  | 3 Flammable liquids.                            |
| · <b>Label</b>  | 3   |

(Contd. on page 6)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.12.2012

Version number 1

Revision: 17.12.2012

Trade name: JOIE ECLAT VA-300-169V2

(Contd. of page 5)

· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Danger code (Kemler): · EMS Number:	Warning: Flammable liquids. 33 F-E, S-E
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Transport category · Tunnel restriction code	5L 2 D/E

### SECTION 15: Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

R11 Highly flammable.



## Safety Data Sheet

Printed : 03/02/2016

Revised : V1-R-2-CLP from 03/02/2016

### HARMONIE - PARFUM

#### 1. SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

##### 1.1. Product identifier

Name of the substance/mixture : HARMONIE - PARFUM

N° CAS TSCA : -  
N° CE :  
N° index REACH An VI :  
N° REACH (partially) :

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Parfum

##### 1.3. Details of the supplier of the safety data sheet

###### SAS PARFUM COSMETIC WORLD

Parc de l'Argile - 213 Voie E  
06370 Mouans-Sartoux - FRANCE  
Tel : +33 (0)4 92 28 23 30  
Fax : +33 (0)4 92 28 23 39  
Web : www.pcwfrance.com  
Email : info@pcwfrance.com

Technical responsible : regulatory@pcwfrance.com

##### 1.4. Emergency telephone number

Emergency information service of the company

**+33(6) 07 85 74 60** (24h/24h)

National emergency information service

**INERIS : +33(8) 20 20 18 16**

Anti poison Centers in France

**ORFILA : +33(1) 45 42 59 59**

#### 2. SECTION 2 - HAZARDS IDENTIFICATION

##### 2.1. Classification of the substance or mixture

GHS Classification :

(RegulationCLP)

EHC3 Hazardous to the aquatic environment, long-term hazard 3  
FL2 Flammable Liquids 2  
SS1B Sensitisation, skin 1B



# Safety Data Sheet

Printed : 03/02/2016

HARMONIE - PARFUM

Revised : V1-R-2-CLP from 03/02/2016

H225 - Highly flammable liquid and vapour  
 H317 - May cause an allergic skin reaction.  
 H412 - Harmful to aquatic life with long lasting effects.

## 2.2. Label elements

GHS Classification :

(RegulationCLP)



Warning mention : Danger

EHC3 Hazardous to the aquatic environment, long-term hazard 3  
 FL2 Flammable Liquids 2  
 SS1B Sensitisation, skin 1B

H225 - Highly flammable liquid and vapour  
 H317 - May cause an allergic skin reaction.  
 H412 - Harmful to aquatic life with long lasting effects.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P240+P241 - Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../equipment.  
 P243 - Take precautionary measures against static discharge  
 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P272+P363 - Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
 P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
 P403+P235 - Store in a well-ventilated place. Keep cool.  
 P501 - Dispose of contents/container according to the local/ regional / national / international Regulation.

## 2.3. Other hazards

**Contains Limonene,Cyclohexadecenone,Cyclopentadecanolide (omega-Pentadecalactone),Butylphenyl methylpropional (rep. 2),Methylenedioxyphenyl methylpropanal**

COV Swiss - Annex 2 : **100%**

## 3. SECTION 3 - COMPOSITION INFORMATION ON INGREDIENTS

### 3.1. Substances

### 3.2. Mixtures

Material	C.A.S	EINECS	Classification	Percent %
Ethyl alcohol (Regist. : N° REACH 01-2119457610-43-xxxx / N° INDEX 603-002-00-5)	64-17-5	200-578-6	ED12, FL2 - H225, H319	> 50 %



# Safety Data Sheet

Printed : 03/02/2016

HARMONIE - PARFUM

Revised : V1-R-2-CLP from 03/02/2016

2-(1-(3',3'-Dimethyl-1'-cyclohexyl)ethoxy)-2-methyl propyl propanoate (Regist. : N° REACH 01-0000016242-80-xxxx / N° INDEX 607-492-00-1)	141773-73-1	415-490-5	EHC2 - H411	[ 1-5 ]
Ethylene brassylate	105-95-3	203-347-8	EHC2 - H411	[ 1-5 ]
Limonene (Regist. : N° INDEX 601-029-00-7)	5989-27-5	227-813-5	AH1, EHA1, EHC1, FL3, SCI2, SS1B - H226, H304, H315, H317, H410	[ 1-5 ]
Butylphenyl methylpropional (rep. 2) (Regist. : N° REACH 01-2119485965-18-xxxx)	80-54-6	201-289-8	ATO4, EHC2, REP2, SCI2, SS1B - H302, H315, H317, H361, H411	[ 0-1 ]
Cyclohexadecenone	82356-51-2	429-900-5	EHA1, EHC1, SS1B - H317, H400, H410	[ 0-1 ]
Cyclopentadecanolide (omega-Pentadecalactone)	106-02-5	203-354-6	EHC2, SS1B - H316, H317, H410, H411	[ 0-1 ]
Methylenedioxyphenyl methylpropanal	1205-17-0	214-881-6	EHC2, SS1B - H317, H411	[ 0-1 ]

Description : **Parfum**Solvent : **Ethyl alcohol denat. / Aqua**Colorant(s) : **-**

## 4. SECTION 4 - FIRST AID MEASURES

### 4.1. Description of first aid measures

**General notes** : Please refer to the risk and safety statements (section 2)

**Following inhalation** : If inhaled : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

**Following ingestion** : If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

**Following skin contact** : If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water before removing clothes. If the symptom persists, consult a doctor.

**Following eye contact** : Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophthalmologist.

**Self-protection of the first aider** : In lack of appropriate formation, none initiative should imply an individual risk.

### 4.2. Most important symptoms and effects, both acute and delayed

See section 2

### 4.3. Indication of any immediate medical attention and special treatment needed

See section 2

## 5. SECTION 5 - FIREFIGHTING MEASURES

### 5.1. Extinguishing media

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire. CO2, powder, foam, specific liquid.

**Unsuitable extinguishing media** : Never use a direct stream of water.



## Safety Data Sheet

Printed : 03/02/2016

HARMONIE - PARFUM

Revised : V1-R-2-CLP from 03/02/2016

### 5.2. Special hazards arising from the substance or mixture

**Flammability** : The product is not flammable.

**Prevention** : Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

**Particular risks linked to exposure** : see section 2

#### **Hazardous combustion products :**

Release of poison gases : Monoxide de carbone (CO), Dioxyde de carbon (CO2), Oxyde d'azotes (NOx), Dioxyde de soufre (SO2), Cyanures (CN) ....

### 5.3. Advice for firefighters

**Fire-fighting equipment** : use an appropriate personal protective equipment with an approved positive-pressure self-contained breathing apparatus.

## 6. SECTION 6 - ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

#### For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark or flame).  
Avoid skin/eye contact. Do not inhale vapours.

#### For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

### 6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water.  
Inform the competent authorities if the product enters in ground or surface waters.

### 6.3. Methods and material for containment and cleaning up

#### For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

#### For cleaning up

The soiled elements (rags, absorbent papers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local regulation.

#### Other informations

Only qualified personnel is allowed to clean up.

### 6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.



# Safety Data Sheet

Printed : 03/02/2016

HARMONIE - PARFUM

Revised : V1-R-2-CLP from 03/02/2016

## 7. SECTION 7 - HANDLING AND STORAGE

### 7.1. Precautions for safe handling

#### Protective measures:

See section 2.2



#### Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

#### Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

#### Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

#### Advice on general occupational hygiene:

Follow the general hygiene rules.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in its original packaging in a cool dry place, away from light.Technical measures: Close the container after use.

In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage :

**Industrial : Keep under Nitrogen, in ambient temperature. Avoid prolonged exposure to light, humidity and air.**

### 7.3. Specific end use(s)

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

## 8. SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. Control parameters

**Measures of technical order :** Avoid contact with eyes, skin and clothes. Do not ingest. Do not inhale vapors. Use proper personal protective equipment.**Monitoring procedures :** If the product contains ingredients presenting exposure limits, it can turn out necessary to make an examination followed by the persons, by the atmosphere in the workplace either bodies living to end the efficiency of the ventilation or the other control measures or estimate the need to use of the material of protection of respiratory tracts. It is important to put back you in the European standard EN 689 concerning the methods to estimate the exhibition by inhalation to the chemical agents and to the national general documents of politics relative to the methods to determine dangerous substances.

### 8.2. Exposure controls

#### Appropriate technical controls :

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust





# Safety Data Sheet

Printed : 03/02/2016

HARMONIE - PARFUM

Revised : V1-R-2-CLP from 03/02/2016

ventilation or other engineering controls to keep worker exposure.

Personal protection measures :

## Personal protection :

-Protection des mains : Protection non requise.-Protection des yeux : Protection non requise.

-Protection respiratoire : En cas de ventilation insuffisante, porter un appareil respiratoire approprié.

**Respiratory protection :** Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

### Type of filters

Type AX (Brown) : Organic compounds boiling point < 65°C

Type A (Brown) : Organic compounds boiling point > 65°C

Type B (Grey) : Inorganic gasses and fumes.

Type P (White) : Particles, dusts and aerosols

**Hand protection :** Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing : vinyle disposable.

**Remark :** Recommended impermeable goggles do not only depend of his matter. Other factors can have a signifiant effect on impermeability, like their thickness or specific use or temperature conditions. In all cases, matter certificates should be selected. Ask your supply if the goggles are appropriate to this use.

**Eyes protection :** Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Recommanded : Splash goggles, safety glasses with side-shields.

**Skin protection :** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body : Recommanded : lab coat (sarrau), general.

Type 3 : Liquid impermeability

Type 4 : Aerosol impermeability

Type 6 : Impermeability limited to liquid splashes

Foot : Recommanded : neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

## 9. SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance :	<b>Liquid</b>
Color :	<b>Colorless</b>
Density at 20°C :	<b>[0.852 ; 0.892]</b>
Refractive index @ 20°C :	<b>[1.376 ; 1.386]</b>
Flash point (°C) (close cup) :	<b>22</b>

### 9.2. Other information

NO CONCERNED

## 10. SECTION 10 - STABILITY AND REACTIVITY

### 10.1. Reactivity

Avoid powerful oxidizing agents

### 10.2. Chemical stability



## Safety Data Sheet

Printed : 03/02/2016

HARMONIE - PARFUM

Revised : V1-R-2-CLP from 03/02/2016

Stable under normal conditions.

### **10.3. Possibility of hazardous reactions**

No hazardous reactions when stored and handled according to instructions.

### **10.4. Conditions to avoid**

Avoid any potential source of heat.

### **10.5. Incompatible materials**

NO CONCERNED

### **10.6. Hazardous decomposition products**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Dangerous decomposition products:** No dangerous decomposition products known.

## 11. SECTION 11 - TOXICOLOGICAL INFORMATION

### **11.1. Information on toxicological**

## 12. SECTION 12 - ECOLOGICAL INFORMATION

### **12.1. Toxicity**

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

### **12.2. Persistence and degradability**

NO CONCERNED

### **12.3. Bioaccumulative potential**

NO CONCERNED

### **12.4. Mobility in soil**

PNEC sol :

### **12.5. Results of PBT and vPvB assessment**

vPvB :

PBT :

### **12.6. Other adverse effects**

No data

## 13. SECTION 13 - DISPOSAL CONSIDERATIONS

### **13.1. Waste treatment methods**

**Product :** Does not have to be evacuated with the refuse. Not let it penetrate in the sewers.

**Not cleaned packing :** Evacuation according to local reglementation.

## 14. SECTION 14 - TRANSPORT INFORMATION

ADR:



## Safety Data Sheet

Printed : 03/02/2016

HARMONIE - PARFUM

Revised : V1-R-2-CLP from 03/02/2016



IMDG:



IATA:



### 14.1. UN number

ADR : 1266 ( Tunnel code (D/E) )

IMDG:1266

IATA :ID8000

### 14.2. UN proper shipping name

ADR : Perfumery products

IMDG:Perfumery products

IATA :Consumer commodity

### 14.3. Transport hazard class(es)

ADR : 3

IMDG:3

IATA :9

### 14.4. Packing group

ADR : II

IMDG:II

IATA :NO CONCERNED

### 14.5. Environmental hazards

IMDG : NO CONCERNED

### 14.6. Special precautions for user

NO CONCERNED

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

(Except particular case)

#### IBC Liquid substances

Metal (31A, 31B, 31N)

Plastic (31H1, 31H2)

#### GRV Solid substances

Metal (11A, 11B, 21A, 21N)



## Safety Data Sheet

Printed : 03/02/2016

HARMONIE - PARFUM

Revised : V1-R-2-CLP from 03/02/2016

Plastic (11H1, 11H2, 21H1, 21H2)

### 15. SECTION 15 - REGULATORY INFORMATION

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Custom tariff : **3303 00 10 00**

#### **15.2. Chemical safety assessment**

### 16. SECTION 16 - OTHER INFORMATIONS

Full H sentences text in point 3 :

- H225 Highly flammable liquid and vapour
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H316 Causes mild skin irritation
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H361 Suspected of damaging fertility or the unborn child <state specific effect if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

---

#### **Key literature references and sources for data**

Sources for data : Information from supplier  
Literature references : ECHA  
Literature references EU : Reg. 1272/2008

---

Safety data sheet according to REG. 1272/2008/CE and its amendings

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

---

Modified points : 2.1          2.2          2.3          3.2          14.4          14.5          16

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.12.2012


Version number 1

Revision: 17.12.2012


### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** *SENSUALITE VA-200-62V2*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
*No further relevant information available.*
- **Application of the substance / the preparation :** *diluted perfume*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*FRANCE LAB*  
*14 rue Clément Marot*  
*75008 PARIS*  
*tel :01 49 52 09 85*  
*fax : 01 45 03 21 84*  
*www.france-lab.com*
- **1.4 Emergency telephone number:**  
*France (ORFILA 24h/24) - Tel : +33 (0)1 45 42 59 59*  
*Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24)*  
*EU Tel : 112*

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC :**  
 *F; Highly flammable*  
*R11: Highly flammable.*
- **Information concerning particular hazards for human and environment:**  
*The product has to be labelled in the latest valid version according to the calculation procedure of the "General Classification guideline for preparations of the EU" .*
- **Classification system:**  
*The classification is according to the latest editions of the EU-lists, and extended by company and literature data.*

---

- **2.2 Label elements**
- **Labelling according to EU guidelines:**  
*The product has been marked in accordance with EU Directives / respective national laws.*  
*2008/58/CE (30eme ATP) ; 2009/2/CE (31eme ATP) ; 2006/8/CE*
- **Code letter and hazard designation of product:**  
 *F Highly flammable*
- **Risk phrases:**  
*11 Highly flammable.*
- **Safety phrases:**  
*2 Keep out of the reach of children.*  
*46 If swallowed, seek medical advice immediately and show this container or label.*  
*56 Dispose of this material and its container to hazardous or special waste collection point.*
- **Special labelling of certain preparations:**  
*Contains Benzyl salicylate, 2-(4-tert-Butylbenzyl)propionaldehyde, dipentene, Linalool, Geraniol, Citronellol, hexyl cinnamaldéhyde, Hydroxy-methylpentylcyclohexenecarboxaldehyde. May produce an allergic reaction.*
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.12.2012

Version number 1

Revision: 17.12.2012

Trade name: SENSUALITE VA-200-62V2




(Contd. of page 1)

· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterization: Mixtures**
- **Description:** Mixture: consisting of the following components.

- **Dangerous components:**

CAS: 64-17-5	ethanol	50-100%
EINECS: 200-578-6	 F R11	
Reg.nr.: 01-2119457610-43-xxxx	 Flam. Liq. 2, H225;  Eye Irrit. 2, H319	

- **Additional information:** For the wording of the listed risk phrases, refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After excessive inhalation:** Supply fresh air; consult a doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult a doctor.
- **4.2 Most important symptoms and effects, both acute and delayed :**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed :**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture :** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures :**  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **6.4 Reference to other sections :**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protective equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling :**  
Keep receptacles tightly sealed.  
Keep away from heat and direct sunlight.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.12.2012

Version number 1

Revision: 17.12.2012

Trade name: SENSUALITE VA-200-62V2

(Contd. of page 2)

· **Information about fire - and explosion protection:**



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· **7.3 Specific end use(s) :** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see section 7.

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**64-17-5 ethanol (50-100%)**

WEL (Great Britain) Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

· **Additional information:**

As a basis for the production of this document, the most current valid lists were used.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

· **Respiratory protection:** Not required.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Gloves material :**

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which may vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked before use.

· **Eye protection:**



Tightly sealed goggles

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Colour: According to product specification

· **Odour:** Characteristic

· **Odour threshold:** Not determined.

· **pH-value:** Not determined.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.12.2012

Version number 1

Revision: 17.12.2012

Trade name: SENSUALITE VA-200-62V2

(Contd. of page 3)

· <b>Change in condition</b>	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	78 °C
· <b>Flash point:</b>	18.5 °C
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	425 °C
· <b>Decomposition temperature:</b>	Not determined.
· <b>Self-igniting:</b>	Product is not self igniting.
· <b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· <b>Explosion limits:</b>	
Lower:	3.5 Vol %
Upper:	15.0 Vol %
· <b>Vapour pressure at 20 °C:</b>	59 hPa
· <b>Density at 20 °C:</b>	0.8854 g/cm <sup>3</sup>
· <b>Relative density :</b>	Not determined.
· <b>Vapour density :</b>	Not determined.
· <b>Evaporation rate :</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
Dynamic:	Not determined.
Kinematic:	Not determined.
· <b>Solvent content:</b>	
VOC (EC)	70 %
	67.27 %
· <b>9.2 Other information :</b>	No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions :** No dangerous reactions known.
- **10.4 Conditions to avoid :** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **On the skin:** No irritant effect.
- **On the eyes:** No irritant effect.

(Contd. on page 5)

GB



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.12.2012

Version number 1

Revision: 17.12.2012

Trade name: SENSUALITE VA-200-62V2

(Contd. of page 4)

· **Sensitization:** No sensitizing effects known.



### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability :** No further relevant information available.
- **12.3 Bioaccumulative potential :** No further relevant information available.
- **12.4 Mobility in soil :** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects :** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation :**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- |   |   |
|---|---|
| · <b>14.1 UN-Number</b>   |   |
| · <b>ADR, IMDG, IATA</b>  | UN1266  |
| · <b>14.2 UN proper shipping name</b>   |   |
| · <b>ADR</b>  | 1266 PERFUMERY PRODUCTS, special provision 640D |
| · <b>IMDG, IATA</b>   | PERFUMERY PRODUCTS                              |
| · <b>14.3 Transport hazard class(es)</b>  |   |
| · <b>ADR</b>  |   |
|  |   |
| · <b>Class</b>  | 3 (F1) Flammable liquids.                       |
| · <b>Label</b>  | 3   |
| -----   |   |
| · <b>IMDG, IATA</b>   |   |
|  |   |
| · <b>Class</b>  | 3 Flammable liquids.                            |
| · <b>Label</b>  | 3   |

(Contd. on page 6)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.12.2012

Version number 1

Revision: 17.12.2012

Trade name: SENSUALITE VA-200-62V2

(Contd. of page 5)

· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Danger code (Kemler): · EMS Number:	Warning: Flammable liquids. 33 F-E, S-E
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Transport category · Tunnel restriction code	5L 2 D/E

### SECTION 15: Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

R11 Highly flammable.



# Safety Data Sheet

Printed : 18/11/2014

Revised : V1-R-1-CLP du 18/11/2014

## CONFIANCE - EAU DE PARFUM

### 1. SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

#### 1.1. Product identifier

Name of the substance/mixture : **CONFIANCE - EAU DE PARFUM**

N° CAS TSCA : -  
N° CE :  
N° index REACH An VI :  
N° REACH (partially) :

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : **Eau de Parfum**

#### 1.3. Details of the supplier of the safety data sheet

##### **SAS PARFUM COSMETIC WORLD**

Parc de l'Argile - 213 Voie E  
06370 Mouans-Sartoux - FRANCE  
Tel : +33 (0)4 92 28 23 30  
Fax : +33 (0)4 92 28 23 39  
Web : [www.pcwfrance.com](http://www.pcwfrance.com)  
Email : [info@pcwfrance.com](mailto:info@pcwfrance.com)

Technical responsible : [regulatory@pcwfrance.com](mailto:regulatory@pcwfrance.com)

#### 1.4. Emergency telephone number

Emergency information service of the company

**+33(6) 07 85 74 60** (24h/24h)

National emergency information service

**INERIS : +33(8) 20 20 18 16**

Anti poison Centers in France

**ORFILA : +33(1) 45 42 59 59**

### 2. SECTION 2 - HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

According to Regulation (EC) 1272/2008

(Legislation CLP)

AH1 Aspiration hazard 1  
EDI2 Serious eye damage / eye irritation 2  
EHC2 Hazardous to the aquatic environment, long-term hazard 2  
FL2 Flammable Liquids 2  
SCI2 Skin corrosion / irritation 2



# Safety Data Sheet

Printed : 18/11/2014

CONFIANCE - EAU DE PARFUM

Revised : V1-R-1-CLP du 18/11/2014

SS1A Sensitisation, skin 1A

H225 - Highly flammable liquid and vapour  
H317 - May cause an allergic skin reaction.  
H411 - Toxic to aquatic life with long lasting effects.

EUH208 - May produce an allergic reaction. See components declared in pt 15 of the SDS.

## 2.2. Label elements

According to Regulation (EC) 1272/2008

(Legislation CLP)



Warning mention : Danger

AH1 Aspiration hazard 1  
ED12 Serious eye damage / eye irritation 2  
EHC2 Hazardous to the aquatic environment, long-term hazard 2  
FL2 Flammable Liquids 2  
SCI2 Skin corrosion / irritation 2  
SS1A Sensitisation, skin 1A

H225 - Highly flammable liquid and vapour  
H317 - May cause an allergic skin reaction.  
H411 - Toxic to aquatic life with long lasting effects.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P243 - Take precautionary measures against static discharge  
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P272+P363 - Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P305+P351+P338 - IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P501 - Dispose of contents/container according to the local/ regional / national / international Regulation.  
P240+P241 - Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../equipment.

EUH208 - May produce an allergic reaction. See components declared in pt 15 of the SDS.

## 2.3. Other hazards

Sensitizing substances : See Tab. 3.1 : Phrases H317 and/or EUH208

COV Swiss - Annex 2 : **100%**

## 3. SECTION 3 - COMPOSITION INFORMATION ON INGREDIENTS



# Safety Data Sheet

Printed : 18/11/2014

CONFIANCE - EAU DE PARFUM

Revised : V1-R-1-CLP du 18/11/2014

## 3.1. Substances

## 3.2. Mixtures

Material	C.A.S	EINECS	Classification	Percent %
Ethyl alcohol (Regist. : N° REACH 01-2119457610-43-xxxx / N° INDEX 603-002-00-5)	64-17-5	200-578-6	FL2 - H225	> à 50 %
BOUTIQUE	-		AH1, EDI2, EHA1, EHC1, SCI2, SS1 - H304, H315, H317, H319, H410	[ 10-20 ]
Ethyl acetate (impurity) (Regist. : N° INDEX : 607-022-00-5)	141-78-6	205-500-4	EDI2, EUH066, FL2, STO-SE3-NE - H225, H319, H336	[ 0-1 ]
ter-Butanol (TBA) (Regist. : N° INDEX 603-005-00-1)	75-65-0	200-889-7	AT14, EDI2, FL2, STO-SE3-RI - H225, H319, H332, H335	[ 0-1 ]

Description : **Eau de Parfum**Solvent : **Ethyl alcohol denat. / Aqua**

Colorant(s) : -

## 4. SECTION 4 - FIRST AID MEASURES

### 4.1. Description of first aid measures

**General notes** : Please refer to the risk and safety statements (section 2)**Following inhalation** : If inhaled : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.**Following ingestion** : If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.**Following skin contact** : If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water before removing clothes. If the symptom persists, consult a doctor.**Following eye contact** : Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophthalmologist.**Self-protection of the first aider** : In lack of appropriate formation, none initiative should imply an individual risk.

### 4.2. Most important symptoms and effects, both acute and delayed

See section 2

### 4.3. Indication of any immediate medical attention and special treatment needed

See section 2

## 5. SECTION 5 - FIREFIGHTING MEASURES

### 5.1. Extinguishing media

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire. CO2, powder, foam, specific liquid.**Unsuitable extinguishing media** : Never use a direct stream of water.



# Safety Data Sheet

Printed : 18/11/2014

CONFIANCE - EAU DE PARFUM

Revised : V1-R-1-CLP du 18/11/2014

## 5.2. Special hazards arising from the substance or mixture

**Flammability** : The product is not flammable.

**Prevention** : Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

**Particular risks linked to exposure** : see section 2

### Hazardous combustion products :

Release of poison gases : Monoxide de carbone (CO), Dioxyde de carbon (CO<sub>2</sub>), Oxyde d'azotes (NO<sub>x</sub>), Dioxyde de soufre (SO<sub>2</sub>), Cyanures (CN) ....

## 5.3. Advice for firefighters

**Fire-fighting equipment** : use an appropriate personal protective equipment with an approved positive-pressure self-contained breathing apparatus.

## 6. SECTION 6 - ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

#### For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame).  
Avoid skin/eye contact. Do not inhale vapours.

#### For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

### 6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water.  
Inform the competent authorities if the product enters in ground or surface waters.

### 6.3. Methods and material for containment and cleaning up

#### For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

#### For cleaning up

The soiled elements (rags, absorbent papers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local regulation.

#### Other informations

Only qualified personnel is allowed to clean up.

### 6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.



# Safety Data Sheet

Printed : 18/11/2014

CONFIANCE - EAU DE PARFUM

Revised : V1-R-1-CLP du 18/11/2014

## 7. SECTION 7 - HANDLING AND STORAGE

### 7.1. Precautions for safe handling

#### Protective measures:

See section 2.2



#### Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

#### Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

#### Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions on coming in contact with the ground, waterways, drains and vents.

#### Advice on general occupational hygiene:

Follow the general hygiene rules.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in its original packaging in a cool dry place, away from light.

Technical measures: Close the container after use.

In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage :

**Industrial : Keep under Nitrogen, in ambient temperature. Avoid prolonged exposure to light, humidity and air.**

### 7.3. Specific end use(s)

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

## 8. SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. Control parameters

**Measures of technical order :** Avoid contact with eyes, skin and clothes. Do not ingest. Do not inhale vapors. Use proper personal protective equipment.

**Monitoring procedures :** If the product contains ingredients presenting exposure limits, it can turn out necessary to make an examination followed by the persons, by the atmosphere in the workplace either bodies living to end the efficiency of the ventilation or the other control measures or estimate the need to use of the material of protection of respiratory tracts. It is important to put back you in the European standard EN 689 concerning the methods to estimate the exhibition by inhalation to the chemical agents and to the national general documents of politics relative to the methods to determine dangerous substances.

### 8.2. Exposure controls

#### Appropriate technical controls :

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust



# Safety Data Sheet

Printed : 18/11/2014

CONFIANCE - EAU DE PARFUM

Revised : V1-R-1-CLP du 18/11/2014

ventilation or other engineering controls to keep worker exposure.

Personal protection measures :

**Personal protection :**

-Protection des mains : Protection non requise.-Protection des yeux : Protection non requise.

-Protection respiratoire : En cas de ventilation insuffisante, porter un appareil respiratoire approprié.

**Respiratory protection :** Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown) : Organic compounds boiling point < 65°C

Type A (Brown) : Organic compounds boiling point > 65°C

Type B (Grey) : Inorganic gasses and fumes.

Type P (White) : Particles, dusts and aerosols

**Hand protection :** Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing : vinyle disposable.

**Remark :** Recommended impermeable goggles do not only depend of his matter. Other factors can have a signifiant effect on impermeability, like their thickness or specific use or temperature conditions. In all cases, matter certificates should be selected. Ask your supply if the goggles are appropriate to this use.

**Eyes protection :** Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Recommanded : Splash goggles, safety glasses with side-shields.

**Skin protection :** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body : Recommanded : lab coat (sarrau), general.

Type 3 : Liquid impermeability

Type 4 : Aerosol impermeability

Type 6 : Impermeability limited to liquid splashes

Foot : Recommanded : neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

## 9. SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance :	<b>Liquid</b>
Color :	<b>Clear yellow</b>
Density at 20°C :	<b>[0.828 ; 0.868]</b>
Refractive index @ 20°C :	<b>[1.374 ; 1.384]</b>
Flash point (°C) (close cup) :	<b>22</b>

### 9.2. Other information

Not applicable

## 10. SECTION 10 - STABILITY AND REACTIVITY

### 10.1. Reactivity

Avoid powerful oxidizing agents

### 10.2. Chemical stability





## Safety Data Sheet

Printed : 18/11/2014

CONFIANCE - EAU DE PARFUM

Revised : V1-R-1-CLP du 18/11/2014

Stable under normal conditions.

### **10.3. Possibility of hazardous reactions**

No hazardous reactions when stored and handled according to instructions.

### **10.4. Conditions to avoid**

Avoid any potential source of heat.

### **10.5. Incompatible materials**

Not applicable

### **10.6. Hazardous decomposition products**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Dangerous decomposition products:** No dangerous decomposition products known.

## 11. SECTION 11 - TOXICOLOGICAL INFORMATION

### **11.1. Information on toxicological**

## 12. SECTION 12 - ECOLOGICAL INFORMATION

### **12.1. Toxicity**

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

### **12.2. Persistence and degradability**

Not applicable

### **12.3. Bioaccumulative potential**

Not applicable

### **12.4. Mobility in soil**

PNEC sol :

### **12.5. Results of PBT and vPvB assessment**

vPvB :

PBT :

### **12.6. Other adverse effects**

No data

## 13. SECTION 13 - DISPOSAL CONSIDERATIONS

### **13.1. Waste treatment methods**

**Product :** Does not have to be evacuated with the refuse. Not let it penetrate in the sewers.

**Not cleaned packing :** Evacuation according to local reglementation.

## 14. SECTION 14 - TRANSPORT INFORMATION

ADR:



## Safety Data Sheet

Printed : 18/11/2014

CONFIANCE - EAU DE PARFUM

Revised : V1-R-1-CLP du 18/11/2014



IMDG:



IATA:



### 14.1. UN number

ADR : 1266 ( Tunnel code (D/E) )

IMDG:1266

IATA :ID8000

### 14.2. UN proper shipping name

ADR : Perfumery products

IMDG:Perfumery products

IATA :Consumer commodity

### 14.3. Transport hazard class(es)

ADR : 3

IMDG:3

IATA :9

### 14.4. Packing group

ADR : II

IMDG:II

IATA :Not applicable

### 14.5. Environmental hazards

IMDG :

### 14.6. Special precautions for user

Not applicable

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

(Except particular case)

#### IBC Liquid substances

Metal (31A, 31B, 31N)

Plastic (31H1, 31H2)

#### GRV Solid substances

Metal (11A, 11B, 21A, 21N)



## Safety Data Sheet

Printed : 18/11/2014

CONFIANCE - EAU DE PARFUM

Revised : V1-R-1-CLP du 18/11/2014

Plastic (11H1, 11H2, 21H1, 21H2)

### 15. SECTION 15 - REGULATORY INFORMATION

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Custom tariff : **3303 00**

#### **15.2. Chemical safety assessment**

### 16. SECTION 16 - OTHER INFORMATIONS

H225 Highly flammable liquid and vapour  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.  
H336 Kann Schläfrigkeit und Benommenheit verursachen.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

---

#### **Key literature references and sources for data**

Sources for data : Information from supplier  
Literature references : ECHA  
Literature references EU : Reg. 1272/2008

---

Safety data sheet according to REG. 1272/2008/CE and its amendings  
These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

---