Section 1: IDENTIFICATION	
1.1 GHS Product Identifier	
Product Name:	VIBROWLASH Color Cream – Auburn
1.2 Other means of identification:	
Item number/Size:	0.67 fl. oz. / 20 mL
Harmonized Code:	
1.3 Recommended use of the chemical and restrictions on use	This product is intended for professional use only and to be applied by a licensed professional only. This product can cause allergic reactions in some individuals. A 48-hour allergy test must be performed prior to each use. Do not use if you have already reacted negatively to such products.
1.4 Supplier Details:	
Company Name:	Universal Companies Inc.
Company Address:	18260 Oak Park Drive, Abingdon, VA 24210
Company Contact:	Customer Service Department
1.5 Emergency Phone Number:	(877) 943-1645

### Section 2: HAZARD(S) IDENTIFICATION

Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: Consumer Products as defined by the U.S. Consumer Product Safety Act which are used as intended (typical consumer duration and frequency) are exempt from the OSHA Hazard Communication Standard.

When used in a professional setting (at a much higher frequency and duration than a typical consumer) this material would be considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Note: This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

### 2.1 Classification of substance or mixture: (GHS-OSHA)

Eye: Category 2B Mildly irritating to eyes

Skin: Category 2 Irritant, Sub-Category 1B- skin sensitizer Inhalation: Category 4

Ingestion: Category 4 Mild gastritis

Hazard Classification:	Category	Signal Word	Hazardous Statement	Precautionary Statement	Hazard Pictograms
Acute toxicity, oral Sensitization, Skin Serious eye damage/eye irritation	Category 4 Category 1, 1A, 1B Category 2B	WARNING	H302: Harmful if swallowed H317: May cause an allergic skin reaction H320: Causes eye irritation	P103: Read label before use P264: Wash hands and exposed skin areas with soap and warm water thoroughly after handling. P270: Do not eat, drink, or smoke while using this product. P280: Wear protective gloves and eye/face protection P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention. P333 + P313: If skin irritation or rash occurs: Get medical advice/attention. P405: Store locked up.	GHS07

Keep out of reach of children

3.2 INCI:			red a trade secret.
<u>J.Z IIICI.</u>		CAS#	Trade Secret
Water (Aqua)		7732-18-5	*
Disodium EDTA		6381-92-6	*
Cocamidopropyl Betaine		61789-40-0	*
Dleyl Alcohol		143-28-2	*
Cetearyl Alcohol		67762-27-0	*
Ceteareth-20		68439-49-6	*
Sodium Cetearyl	Sulfate	68955-20-4	*
rythorbic Acid		89-65-6	*
odium Sulfite		1313-82-2	*
lydrolyzed Jojoba	oa Ester	85186-93-2	*
ropylene Glycol		57-55-6	*
Slyceryl Stearate	SE	123-94-4	*
32-36 Isoalkyl S	Stearate	68201-22-9	*
olyhydroxysteari	ric Acid	27924-99-8	*
tearvl Behenate	•	24271-12-3	*
			*
,	earate	27321-72-8	•
Polyglyceryl-3 Ste Polysorbate 60 azardous ingre ecause when u	redients as defined by OSHA. 2	9005-67-8 9 CFR 1910-1200 and/or WHMIS und	er the HPA: These substances are listed be ation than a typical consumer) they would 200). Any hazards associated with this finis
Polyglyceryl-3 Ste Polysorbate 60 azardous ingrecause when unsidered haza oduct are listed	redients as defined by OSHA, 2 used in a professional setting (	9005-67-8  9 CFR 1910.1200 and/or WHMIS under a much higher frequency and duranmunication Standard (29 CFR 1910.13	* er the HPA: These substances are listed be
Polyglyceryl-3 Ste Polysorbate 60 azardous ingre- cause when unsidered haza oduct are listed Resorcinol	redients as defined by OSHA, 2 used in a professional setting (ardous by the OSHA Hazard Cond in Section 2 of this SDS.	9005-67-8  9 CFR 1910.1200 and/or WHMIS under a much higher frequency and duranmunication Standard (29 CFR 1910.13	* er the HPA: These substances are listed be
Polyglyceryl-3 Ste Polysorbate 60 azardous ingrescause when unsidered haza oduct are listed Resorcinol	redients as defined by OSHA, 2 used in a professional setting (ardous by the OSHA Hazard Cond in Section 2 of this SDS.	9005-67-8  9 CFR 1910.1200 and/or WHMIS under a much higher frequency and durant durant durant (29 CFR 1910.13)  108-46-3 106-50-3	er the HPA: These substances are listed be ation than a typical consumer) they would 200). Any hazards associated with this finis
Polyglyceryl-3 Ste Polysorbate 60 azardous ingre- cause when unsidered haza oduct are listed Resorcinol Phenylenediam Monoethanolamir	redients as defined by OSHA, 2 used in a professional setting (ardous by the OSHA Hazard Cond in Section 2 of this SDS.	9005-67-8  9 CFR 1910.1200 and/or WHMIS under a much higher frequency and durant durant durant frequency and durant frequency freq	er the HPA: These substances are listed be ation than a typical consumer) they would 200). Any hazards associated with this finis
Polyglyceryl-3 Sterolysorbate 60  azardous ingrecause when unsidered haza oduct are listed esorcinole-Phenylenediam Monoethanolamir-amino-2-hydrox	redients as defined by OSHA, 2 used in a professional setting (ardous by the OSHA Hazard Cond in Section 2 of this SDS.	9005-67-8  9 CFR 1910.1200 and/or WHMIS under a much higher frequency and durant durant frequency and durant frequency f	er the HPA: These substances are listed beation than a typical consumer) they would 200). Any hazards associated with this finis
Polyglyceryl-3 Ste olysorbate 60 azardous ingre- cause when unsidered haza oduct are listed desorcinol -Phenylenediam Monoethanolamir- -amino-2-hydrox -Aminophenol	redients as defined by OSHA, 2 used in a professional setting (ardous by the OSHA Hazard Cond in Section 2 of this SDS.	9005-67-8  9 CFR 1910.1200 and/or WHMIS under a much higher frequency and durant durant durant frequency and durant frequency freq	er the HPA: These substances are listed be ation than a typical consumer) they would 200). Any hazards associated with this finis
colyglyceryl-3 Steolysorbate 60  azardous ingrecause when unsidered haza oduct are listed esorcinol -Phenylenediam flonoethanolamir -amino-2-hydrox -Aminophenol section 4: F	redients as defined by OSHA, 2 used in a professional setting (ardous by the OSHA Hazard Cond in Section 2 of this SDS.  Thine ne xytoluene	9005-67-8  9 CFR 1910.1200 and/or WHMIS under a much higher frequency and durant durant durant frequency and durant durant durant frequency and durant duran	er the HPA: These substances are listed be ation than a typical consumer) they would 200). Any hazards associated with this finis
olyglyceryl-3 Steolysorbate 60  szardous ingrecause when unsidered haza oduct are listed esorcinol  -Phenylenediam lonoethanolamir-amino-2-hydrox-Aminophenol ection 4: F.  1 Description	redients as defined by OSHA, 2 used in a professional setting (ardous by the OSHA Hazard Cond in Section 2 of this SDS.  Thine ne exytoluene  FIRST AID MEASURES on of necessary first-aid mea	9005-67-8  9 CFR 1910.1200 and/or WHMIS under a much higher frequency and durant durant frequency and frequency and frequency fr	er the HPA: These substances are listed be ation than a typical consumer) they would 200). Any hazards associated with this finis
olyglyceryl-3 Steolysorbate 60  szardous ingrecause when unsidered haza oduct are listed esorcinol  -Phenylenediam lonoethanolamir-amino-2-hydrox-Aminophenol ection 4: F.  1 Description	redients as defined by OSHA, 2 used in a professional setting ( ardous by the OSHA Hazard Cond in Section 2 of this SDS.  nine ne xytoluene  FIRST AID MEASURES on of necessary first-aid mea	9005-67-8  9 CFR 1910.1200 and/or WHMIS under a much higher frequency and durant durant durant frequency and durant duran	er the HPA: These substances are listed beation than a typical consumer) they would 200). Any hazards associated with this finis
olyglyceryl-3 Steolysorbate 60  szardous ingrecause when unsidered haza oduct are listed esorcinol  -Phenylenediam lonoethanolamir-amino-2-hydrox-Aminophenol ection 4: F.  1 Description gestion:	redients as defined by OSHA, 2 used in a professional setting ( ardous by the OSHA Hazard Cond in Section 2 of this SDS.  hine ne exytoluene  FIRST AID MEASURES on of necessary first-aid mea	9005-67-8  9 CFR 1910.1200 and/or WHMIS under a much higher frequency and durant durant durant learn and learn and learn	er the HPA: These substances are listed be ation than a typical consumer) they would 200). Any hazards associated with this finis  *  *  *  *  *  *  *  *  *  *  *  *  *
olyglyceryl-3 Steplysorbate 60  zardous ingrecause when unsidered haza oduct are listed esorcinol Phenylenediam lonoethanolamiramino-2-hydrox-Aminophenol section 4: F. 1 Description gestion:	redients as defined by OSHA, 2 used in a professional setting ( ardous by the OSHA Hazard Cond in Section 2 of this SDS.  hine  reservity to the section of	9005-67-8  9 CFR 1910.1200 and/or WHMIS under a much higher frequency and durant durant durant frequency and durant duran	er the HPA: These substances are listed be ation than a typical consumer) they would 200). Any hazards associated with this finis   *  *  *  *  *  *  *  *  *  *  *  *
olyglyceryl-3 Steplysorbate 60  zardous ingrecause when unsidered haza oduct are listed esorcinol Phenylenediam lonoethanolamiramino-2-hydrox-Aminophenol section 4: F. 1 Description gestion:	redients as defined by OSHA, 2 used in a professional setting ( ardous by the OSHA Hazard Cond in Section 2 of this SDS.  Thine  The section 2 of this SDS.	9005-67-8  9 CFR 1910.1200 and/or WHMIS under a much higher frequency and durant durant durant learner with the second standard (29 CFR 1910.13)  108-46-3 106-50-3 141-43-5 2835-95-2 123-30-8  DUCE VOMITING. Call a physician by for further direction. Sh with copious amounts of water. Notation does occur, discontinue use of	er the HPA: These substances are listed be ation than a typical consumer) they would 200). Any hazards associated with this finis  *  *  *  *  *  *  *  *  *  *  *  *  *
olyglyceryl-3 Steolysorbate 60  zardous ingrecause when unsidered haza oduct are listed described. Phenylenediam denoethanolamir-amino-2-hydrox-Aminophenol Section 4: F.1 Description gestion:	redients as defined by OSHA, 2 used in a professional setting ( ardous by the OSHA Hazard Cond in Section 2 of this SDS.  Thine The systoluene  FIRST AID MEASURES  On of necessary first-aid measures  If swallowed, DO NOT IN control center immediate  If contact does occur, flusterm exposure. If mild irri reaction develops, contact	9005-67-8  9 CFR 1910.1200 and/or WHMIS under a much higher frequency and durant durant durant learners and learners are learners and learners are learners and learners are l	er the HPA: These substances are listed be ation than a typical consumer) they would 200). Any hazards associated with this finis   *  *  *  *  *  *  *  *  *  *  *  *
olyglyceryl-3 Steolysorbate 60  zardous ingrecause when unsidered haza oduct are listed described. Phenylenediam denoethanolamir-amino-2-hydrox-Aminophenol Section 4: F.1 Description gestion:	redients as defined by OSHA, 2 used in a professional setting ( ardous by the OSHA Hazard Cond in Section 2 of this SDS.  Thine The Extra conditions are a set of the	9005-67-8  9 CFR 1910.1200 and/or WHMIS under a much higher frequency and durant durant durant learner with the second standard (29 CFR 1910.13)  108-46-3 106-50-3 141-43-5 2835-95-2 123-30-8  DUCE VOMITING. Call a physician by for further direction. Sh with copious amounts of water. Notation does occur, discontinue use of	er the HPA: These substances are listed be ation than a typical consumer) they would 200). Any hazards associated with this finis   *  *  *  *  *  *  *  *  *  *  *  *
Polyglyceryl-3 Stepley	redients as defined by OSHA, 2 used in a professional setting ( ardous by the OSHA Hazard Cond in Section 2 of this SDS.  Thine The Extra conditions are a section as a set of this SDS.  The Extra conditions are a section as a	9005-67-8  9 CFR 1910.1200 and/or WHMIS under a much higher frequency and durant durant frequency and durant durant frequency and frequency and durant frequency and durant frequency and frequency an	er the HPA: These substances are listed be ation than a typical consumer) they would 200). Any hazards associated with this finis   *  *  *  *  *  *  *  *  *  *  *  *
colyglyceryl-3 Ste olysorbate 60  azardous ingrecause when unsidered haza oduct are listed described. Phenylenediam denoethanolamir-amino-2-hydrox-Aminophenol Section 4: F. 1 Description gestion:	redients as defined by OSHA, 2 used in a professional setting ( ardous by the OSHA Hazard Cond in Section 2 of this SDS.  Thine The Extra conditions are a section as a set of this SDS.  The Extra conditions are a section as a	9005-67-8  9 CFR 1910.1200 and/or WHMIS under a much higher frequency and durant durant frequency and durant durant frequency and frequency and durant frequency and durant frequency and frequency an	er the HPA: These substances are listed be ation than a typical consumer) they would 200). Any hazards associated with this finis   *  *  *  *  *  *  *  *  *  *  *  *

Section 5: FIRE FIGHTING MEASURES			
5.1 Suitable Extinguishing Media	Use chemical foam, dry chemical, carbon dioxide or water.		
Unsuitable Extinguishing Media	Not Available		
5.2 Specific Hazards arising from the chemical:	Neither Flammable nor Combustible		
Sensitivity to mechanical impact	Not Available		
Sensitivity to static discharge	Not Available		
5.3 Protective Equipment and Precautions for Firefighters	Extinguish fires with water, ABC all-purpose or CO2 extinguisher. The type of extinguisher used should be in conformance with local fire regulations. Firefighters should		

use self-contained breathing apparatus in enclosed areas.

Section 6: ACCIDENTAL RELEASE MEAS	URES
6.1 Action taken if material is spilled or released:	Small Spills: Absorb spills with inert material. Absorb liquid and scrub the area with detergent. Dilute with water.  Large Spill: Determine whether to evacuate. Scoop/recover material into suitable waste container. Avoid exposure to, or contamination with, liquid organic materials or damp organic materials (e.g. wet paper towels, wood, clothing, etc. Use safety glasses or safety goggles if splash hazards exist; use gloves and other protective clothing (apron, boots, etc.) to prevent skin contact.
6.2 Environmental Precautions:	Small or household quantities may be disposed in regular domestic trash. For larger quantities check with your local disposal authorities.

### **Section 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling:

Avoid contact with eyes, skin, and clothing. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Avoid contamination with combustible organic matter (e.g. oil, sawdust, damp paper towels, etc.) metal, powder, or reducing agents. Contamination may cause decomposition, leading to fire. Decomposition of oxidizing material releases oxygen which may intensify existing fires. This product is intended for use by licensed cosmetologists.

### 7.2 Conditions for safe storage, including any incompatibles.

Keep in a dry, cool place. Avoid freezing temperatures. Avoid contamination. Keep closed when not in use. Store in the original tightly capped containers away from sunlight, heat, sparks and flame. Do not store any tint after it has been mixed with developer; the container may rupture. Never return unused material to original container. Empty containers should be rinsed with water before discarding. Keep out of reach of children.

#### Section 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

%

**Control Parameters**: These criteria have been published by the referenced authority to establish exposure limits in the work environment. Employee work areas should be monitored to ensure that permissible limits are not exceeded during the work day. These references do not coincide with product use. These references are meant to be in association with the manufacturing environment.

**Occupational Exposure Values:** 

Chemical

				ACG	IH	NOHS	С		OSHA			
				ppm		ppm			Ppm			
				TLV	STE		ES-	ES-	PEL	STEL	IDHL	
					L	TWA	STEL	PEAK				
	p-Phenylenediamine	106-50-3	<1%	NA	NA	NF	(0.1)	NF	(0.1)	NA	25	
8	8.1 Engineering Controls: None req			one required under normal conditions.								
8	2 Personal Protection Eq	uipment:										
Respiratory Protection:			Nor	None required under normal conditions.								
Protective Gloves:			exp han	osure dling la	level to a	a minim antities (	um. Use e.g., ≥ 1	e latex o	or PVC g	loves.	ning and keep When ubber or	

Exposure Limits in Air (mg/m³)

Eye and Face Protection:	Avoid eye contact. None required under normal conditions of use. When handling large quantities (e.g.,≥ 1 gallon (3.8L)) safety glasses with side shields should be used.
Other Protective Equipment:	None required
8.3 Ventilation:	Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station)

Section 9: PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Creme Emulsion		
Color	Semi Opaque White		
Odor:	Conforms to Standard		
pH:	9.0-10.0		
Specific Gravity 25°C:	0.9 – 1.0		
Viscosity:	6,000 – 10,000		
Solubility (ies):	Soluble in Water		
Melting/Freezing Point:	N/A		
Boiling Point:	>212 °F		
Flammability:	N/A		
Flash Point:	>200 °F		
Upper/lower flammability or explosive limits:	N/A		
Evaporation Rate:	N/A		
Relative Density	N/A		
Auto ignition temperature:	N/A		
Decomposition temperature:	N/A		
Vapor Pressure	N/A		
Vapor Density	N/A		
Partition coefficient; n-octanol/water	N/A		

Secti	Section 10: STABILITY AND REACTIVITY			
10.1	Reactivity:	No further relevant information available.		
10.2	Chemical stability:	Stable under normal temperature and pressure.		
<u>10.3</u>	Possibility of hazardous reactions:	None known		
10.4	Conditions to avoid:	Store away from flammable liquids, flammable solids, aerosols and other incompatible materials. Avoid contamination. Do not store any tint, lightener lotion or bleach powder after it has been mixed with developer; the container may rupture. Never return unused material to original container. Avoid extreme heat and ignition sources.		
<u>10.5</u>	Incompatible Materials	None known		

### **Section 11: TOXICOLOGICAL INFORMATION**

This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product but is not presented in this document.

### Section 12: ECOLOGICAL INFORMATION

12.1 Info Summary of Ecological information: Balance of data on mixture as a whole, not determined.

### **12.2** Eco **toxicological properties of specific substances**: See each category below for specific substances.

#### 12.3 Toxicity

The product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

12.4 Persistence and degradability:	Biodegradation is expected
12.5 Bio accumulative potential:	Bioaccumulation is unlikely
12.6 Mobility in soil:	Unknown
12.7 Other adverse affects:	Unknown

### **Section 13: DISPOSAL CONSIDERATIONS**

**13.1 Disposal Method:** Disposal should be in accordance with all applicable Local, State and Federal regulations. The following instructions are for consumer usage only. Do not discharge product into natural waters without pretreatment or adequate dilution.

For Professional Settings: Products covered by this SDS, in their original form, when disposed as waste, are considered nonhazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations.

Section 14: TRANSPORT INFORMATION			
14.1 Department of Transportation Information			
Shipping Name:	No Specific Requirement.		
Hazard Class:	Non-Regulated		
Label (s):	NONE		
UN/NA Number:	NONE		
Placards:	NONE		
44.2 International Transportation Classifications			
14.2 International Transportation Classifications			
IATA, International Air Transportation	No information available.		
IMDG, International Maritime Dangerous Goods	No information available.		

### Section 15: REGULATORY INFORMATION

Workplace Hazardous Materials Identification System (HMIS): Health: 1, Fire: 1, Physical Hazard/Reactivity: 1, Protective Equipment: B

SARA Reporting 313/302/304/311/312 chemicals: p-Phenylenediamine is subject to the reporting requirements of SARA Title III, Sections 312/313.

SARA Threshold Planning Quantity: This product is not subject to the reporting requirements of SARA Title III, Section 302.

TSCA Inventory Status: All components of this product are listed in the TSCA Inventory or are exempt.

CERCLA reportable quantity (RQ): p-Phenylenediamine: 2,270 kg (5000 lbs). Canada CEPA:

All ingredients are CEPA approved for import to Canada. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Product Regulations (CPR) and this SDS contains all information required by the CPR.

### US States CA Prop 65:

This product is not subject to warning labeling under California Proposition 65.

#### State Right-to-Know:

The following ingredients are present in the finished product and are listed on the following state right-to-know lists:

Ingredient	CAS#	Level	State							
			IL	MA	NJ	PA	RI	FL	MN	WA
p- Phenylenediamine	67762- 27-0	<1%		Х	Х	Х		Х	Х	Х

### **Section 16: OTHER INFORMATION**

### **General Disclaimer**

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Revision/Date:	Revision made:	Prepared by:		
1.9.23	Document created	Gemma Chavez		

### **End of Safety Data Sheet**