Serendipity Quintessentials 9 The Mead, Pinelands Cape Town 7405 South Africa



Tel: +27 21531 3545 Mobile: +27 826420022 Fax: 086 511 2876

Email: info@serendipity1.co.za

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006
GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

1. PRODUCT NAME AND COMPANY IDENTIFICATION

Product Name: Cocobaci Oil Pulling Raspberry Synergy

Product Number: CBRS032015

Supplier: Serendipity Quintessentials, 9 The Mead, Pinelands, Cape Town 7405 RSA

Emergency Tel: +27826420022 Emergency Contact: Regulatory Manager

Product Use: Personal Care Product

2. COMPOSITION / INGREDIENT INFORMATION

Ingredients: A synergy of raspberry food flavourant and Quercus pedunculata bud extract

in 100% organic virgin coconut oil [Cocos nucifera].

3. HAZARDS IDENTIFICATION

Not classified as dangerous to health.

Eye contact: May be irritating to eyes.

Skin contact: May cause irritation in sensitive individuals with prolonged exposure.

Ingestion: Not classified as dangerous to health. Food grade components.

Inhalation: No vapours present at normal temperatures.

Inhalation of fine mist may affect respiratory system.

4. FIRST-AID MEASURES

Eyes: Flush with plenty of water or eye wash solution for 15 minutes.

Get medical attention if irritation persists.

Skin: No danger, but in case of irritation, remove contaminated clothes.

Wash thoroughly with soap and water, rinse with water.

If irritation persists, seek medical advice.

Ingestion: No danger, but contact Physician if discomfort is encountered.

Inhalation: No particular recommendation, but remove to fresh air and seek medical attention

if required.

5. FIRE FIGHTING MEASURES

Flash Point:

180°C

Extinguishing Media:

Dry chemical, CO₂, or Foam type

Special Firefighting Procedures:

Cool containers exposed to flame with water. Limit the spread of oil. Treat as an oil [edible fat] fire. Use air supplied equipment for fighting interior fires. DO NOT USE WATER TO EXTINGUISH.

Hazardous Decomposition Materials:

CO, CO2

6. ACCIDENTAL RELEASE MEASURES

Methods for cleaning up spillage: Absorb onto an inert, absorbent substrate and sweep up. Wash area with hot water and detergent/soap. Floors will be slippery; take precautions. Environmental precautions: Keep away from drains, surface and groundwater.

7. HANDLING and STORAGE

Handling:

Normal working hygiene practices should be employed. Avoid leaks due to slipperiness of oil if spilled on surfaces.

Storage:

Store in a cool, dry place away from light. If molten, store at about 10°C above melting point.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

General: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and piping systems for maintenance and repairs. Waste resulting from these procedures should be handled in accordance to the section entitled Disposal Considerations.

Exposures Guidelines: Engineering controls are usually not necessary if good hygiene practices are strictly followed. Respiratory protection is generally not required during normal operations. Wear the following to prevent skin contact: overalls or work pants, long sleeve work shirt, and work gloves. Where there is the danger of eye contact, wear splash proof goggles.

Work Practice Controls: Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material:

- [1] Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- [2] Wash hands before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- [3] Wash exposed skin in the event of personal sensitivity to this material.

9. PHYSICAL & CHEMICAL PROPERTIES.

Colour: Clear colourless [above 23°C]; solid white [below23°C]\
Appearance: Solid, semi-solid or liquid [depending on temperature]

Odour: Characteristic – coconut, fruity raspberry

Taste: Coconut, raspberry

Melting Point: 24-26°C Solubility in Water: Insoluble

10. STABILITY & REACTIVITY

Stability: This material is stable under normal temperature conditions.

Incompatibility: None

[Materials to Avoid]

Avoid: Oxidising materials and oxidizing promoting conditions. [Heat & light]

Thermal decomposition products are H²0 and CO².

Hazardous Will Not Occur

Polymerization:

11. TOXICOLOGICAL INFORMATION

This product is considered non-toxic and contains no substances classified as dangerous. Not tested on animals.

12. ECOLOGICAL INFORMATION

Elimination [persistency and degradability]: 100% biodegradable

According to the chemical composition, does not contain heavy metals and substances classified as dangerous for the environment

13. DISPOSAL CONSIDERATIONS

Do not pour into drains and water courses. Dispose of according to local and national regulations.

14. TRANSPORT REGULATIONS

This material is not considered hazardous for transport.

No special requirements and no restrictions on transportation by land, sea or air.

15. REGULATORY INFORMATION

This product is not classified as hazardous.

16. OTHER INFORMATION

The information contained in this safety data sheet is accurate to the best of our knowledge and should be regarded as a description of the safety requirements relating to the product, not as a guarantee of it the product. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. It is the user's responsibility to determine safe conditions for the use of this material. No liability can be accepted arising out of the use, application or processing of this product. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user. As this is a natural material product some parameters may differ due to natural variation and climate change.